



Skills Progression Grids for Parkland Infant and Junior

# MATHEMATICS

## INTENT

*“The only way to learn maths is to do maths.” - Paul Halmos*

At The Parkland Federation, we aspire for every child to become confident, passionate and able mathematicians. Our aims are to instill a love of learning maths and a thirst for mathematical discovery that stays with our pupils from Reception through to Year 6 and beyond. We believe that mathematical knowledge is at the heart of many subjects, including science and computing, and can equip pupils with vital skills essential for future life.

These aims form the basis of our daily mathematics lessons. We, at The Parkland Federation, provide all pupils with high-quality, engaging and absorbing lessons, that give children the opportunity to become fluent mathematicians and efficient problem-solvers who confidently reason about maths. By adopting the ‘Mastery Approach’, we believe that every child can achieve in maths.



Aim high, work hard, dream BIG!

**PKF**

## **IMPLEMENTATION - What is Maths Mastery?**

The Parkland Federation have adopted the 'Mastery Approach' to teaching mathematics. This mathematical approach has been inspired by practice from teachers in Shanghai and has been promoted and developed by the NCETM (National Centre for Excellence in the Teaching of Mathematics). Fundamental to this concept, is the belief that all children have the ability to achieve the same learning objective. Pupils are taught concepts through scaffolded, sequenced small steps designed to encourage breadth and depth of knowledge in a way previous approaches did not. They explore these concepts using concrete representations such as counters, and a variety of pictorial representations. Finally they move on to the more abstract symbols, such as the equals sign. Teachers are supported by Power Maths and White Rose Maths to aid planning and resourcing.



## Every child matters

Differentiation in lessons is achieved through careful and deliberate scaffolding. This could take the form of using particular concrete or pictorial resources, additional adult guidance, the use of peer support or mentoring. In addition to this, through thoughtful, targeted questioning, teachers regularly assess the understanding of their children during lessons providing live feedback and encouraging children to develop their learning by asking them to explain, reason and justify their answers.

Through adopting the maths mastery approach, we believe that every child regardless of gender, ability or background has the opportunity to become a confident and able mathematician, who develops an enjoyment of maths



## EYFS

The foundation of EYFS is play-based, child-led learning. Thus, Maths in Reception follows the same format. The children are taught a number a week and are given opportunities to explore that number through a variety of hands-on activities. In other maths lessons throughout the week, children learn about shape, space and measure. In EYFS, we aim to introduce children to the wonders of mathematics and aim to provide them with a solid foundation to help them on their maths education journey.



Aim high, work hard, dream BIG!

**PKF**

## Structure of a lesson

### Key Stage 1 and 2


The Parkland Federation has adopted a consistent lesson structure, from Key Stage 1 (Years 1-2) to Key Stage 2 (Years 3-6). The structure of a typical mathematics lesson is detailed below.

- **Fluency Practice**

Each lesson starts with a five minute activity to develop the children's' mathematical fluency. The pupils work through four arithmetic-style questions on a quadrant and spend time discussing the efficient methods they used to answer them. In Year one, the start of the year mainly focuses on practical activities and builds upon the necessary key skills needed to be a successful mathematician

- **Discover**

The pupils are shown an 'anchor task' or image to introduce them to the lesson. The children are given a short time to discuss what they can see and what they feel they may be learning about.




- **We are learning to (WALT)**

The WALT is shared with the class. This may be given by the teacher or could be offered by one of the children. At this point, the key vocabulary and the STEM sentence are also shared. A STEM sentence is a mathematically true, concise statement with gaps for the children to fill.

- **Active Learning - Year 1 only**

During this part of the lesson, the children explore the key concept through active learning. Every opportunity is taken to ensure learning is interactive and kinaesthetic, through the use of an effective concrete-pictorial-abstract approach. Evidence of learning is captured daily and is done so in a variety of different ways: *photos and comments; post-it notes reflecting student voice; appropriate worksheets from Power Maths or teacher-generated; written work from the children.*



- **Share**

This is the main teaching input. The teacher will model the learning. After, the children are given the opportunity to go back and answer the anchor task from the 'discover' part of the lesson.

- **Think together**

Pupils are given opportunities to actively practise what has been taught through a 'ping-pong' approach. The 'ping-pong' approach is based on repetition using the stem sentences and follows a *I do, we do, you do.* teaching strategy. Teachers address any misconceptions at this point and encourage the children to identify mathematical generalizations

- **Activity**

The pupils work through carefully planned activities, either, collaboratively with peers or independently.


- **Stretch and Fix (Stretch Year 1)**

Feedback is given to the children immediately after the lesson and is acted upon during the 'Stretch and Fix' time. During this time the pupils are given the opportunity to consolidate their learning, deepen their understanding or clarify misunderstandings with the support of an adult lead group.



## Working Walls

Across the school, Working Walls are used to support our children's understanding and consolidation of the concepts they are taught. A new 'Wall' is started for each unit of work and is added to as each new concept – or learning point - is covered. The concepts are numbered, so that the children can clearly see the 'small steps' they have taken in the journey of that particular unit. Relevant models and images are attached to the wall or drawn by teachers, so that the children have these resources to refer to during lessons. In addition to this, worked examples are a feature of most walls, along with a bank of key vocabulary, to support our children with their explanations and reasoning.



## **Assessment**

Across the Early Years Foundation Stage, we use Otrack - our online assessment tracker - and Tapestry to record our observations of children's learning and to help us to assess their development over time. From September 2020, our EYFS children will be assessed using the new early learning goals under the *early adopter reforms*.

## **Assessment in Years 1-6**

From September 2020, each unit will begin with the unit assessment from the previous year to identify gaps, inform planning and to accelerate learning. At the end of each unit, the pupils will take the current year end of unit assessment to help inform teacher judgements.

When a sequence of lessons has been completed formative judgements are then recorded on O-Track to track the progress of our children. From this information, summative judgements in Maths can be made every term.



Aim high, work hard, dream BIG!

**PKF**

## Mathematics outside the classroom

To develop mathematical skills outside of the classroom, Parkland pupils have access to MyMaths and Times table Rockstars. They are encouraged and supported to complete activities every week. We also have a ``Battle of the Bands` using the Times Table Rockstars programm

Extra curricular activities include fun mathematical events such as NSPCC's Numbers Day and the Summer Enterprise Challenge.



Aim high, work hard, dream BIG!

PKF



Mathematics 2020-2021  
Infant Subject Leader: Miss Alexandra Jewell  
Junior Subject Leader: Mrs Alison Das  
Subject Skills Reviewed: September 2020



Department  
for Education

# **Mathematics programmes of study: key stages 1 and 2**

**National curriculum in England**

**September 2013**

# Contents

Key stage 1 – years 1 and 2	5
Year 1 programme of study	6
Year 2 programme of study	11
Lower key stage 2 – years 3 and 4	17
Year 3 programme of study	18
Year 4 programme of study	24
Upper key stage 2 – years 5 and 6	30
Year 5 programme of study	31
Year 6 programme of study	39
Mathematics Appendix 1: Examples of formal written methods for addition, subtraction, multiplication and division	46

## Purpose of study

Mathematics is a creative and highly inter-connected discipline that has been developed over centuries, providing the solution to some of history's most intriguing problems. It is essential to everyday life, critical to science, technology and engineering, and necessary for financial literacy and most forms of employment. A high-quality mathematics education therefore provides a foundation for understanding the world, the ability to reason mathematically, an appreciation of the beauty and power of mathematics, and a sense of enjoyment and curiosity about the subject.

## Aims

The national curriculum for mathematics aims to ensure that all pupils:

- become **fluent** in the fundamentals of mathematics, including through varied and frequent practice with increasingly complex problems over time, so that pupils develop conceptual understanding and the ability to recall and apply knowledge rapidly and accurately.
- **reason mathematically** by following a line of enquiry, conjecturing relationships and generalisations, and developing an argument, justification or proof using mathematical language
- can **solve problems** by applying their mathematics to a variety of routine and non-routine problems with increasing sophistication, including breaking down problems into a series of simpler steps and persevering in seeking solutions.

Mathematics is an interconnected subject in which pupils need to be able to move fluently between representations of mathematical ideas. The programmes of study are, by necessity, organised into apparently distinct domains, but pupils should make rich connections across mathematical ideas to develop fluency, mathematical reasoning and competence in solving increasingly sophisticated problems. They should also apply their mathematical knowledge to science and other subjects.

The expectation is that the majority of pupils will move through the programmes of study at broadly the same pace. However, decisions about when to progress should always be based on the security of pupils' understanding and their readiness to progress to the next stage. Pupils who grasp concepts rapidly should be challenged through being offered rich and sophisticated problems before any acceleration through new content. Those who are not sufficiently fluent with earlier material should consolidate their understanding, including through additional practice, before moving on.

## Information and communication technology (ICT)

Calculators should not be used as a substitute for good written and mental arithmetic. They should therefore only be introduced near the end of key stage 2 to support pupils' conceptual understanding and exploration of more complex number problems, if written

and mental arithmetic are secure. In both primary and secondary schools, teachers should use their judgement about when ICT tools should be used.

### Spoken language

The national curriculum for mathematics reflects the importance of spoken language in pupils' development across the whole curriculum – cognitively, socially and linguistically. The quality and variety of language that pupils hear and speak are key factors in developing their mathematical vocabulary and presenting a mathematical justification, argument or proof. They must be assisted in making their thinking clear to themselves as well as others and teachers should ensure that pupils build secure foundations by using discussion to probe and remedy their misconceptions.

### School curriculum

The programmes of study for mathematics are set out year-by-year for key stages 1 and 2. Schools are, however, only required to teach the relevant programme of study by the end of the key stage. Within each key stage, schools therefore have the flexibility to introduce content earlier or later than set out in the programme of study. In addition, schools can introduce key stage content during an earlier key stage, if appropriate. All schools are also required to set out their school curriculum for mathematics on a year-by-year basis and make this information available online.

### Attainment targets

By the end of each key stage, pupils are expected to know, apply and understand the matters, skills and processes specified in the relevant programme of study.

**Schools are not required by law to teach the example content in [square brackets] or the content indicated as being 'non-statutory'.**

## Key stage 1 – years 1 and 2

The principal focus of mathematics teaching in key stage 1 is to ensure that pupils develop confidence and mental fluency with whole numbers, counting and place value. This should involve working with numerals, words and the four operations, including with practical resources [for example, concrete objects and measuring tools].

At this stage, pupils should develop their ability to recognise, describe, draw, compare and sort different shapes and use the related vocabulary. Teaching should also involve using a range of measures to describe and compare different quantities such as length, mass, capacity/volume, time and money.

By the end of year 2, pupils should know the number bonds to 20 and be precise in using and understanding place value. An emphasis on practice at this early stage will aid fluency.

Pupils should read and spell mathematical vocabulary, at a level consistent with their increasing word reading and spelling knowledge at key stage 1.

# Year 1 programme of study

## Number – number and place value

### Statutory requirements

Pupils should be taught to:

- count to and across 100, forwards and backwards, beginning with 0 or 1, or from any given number
- count, read and write numbers to 100 in numerals; count in multiples of twos, fives and tens
- given a number, identify one more and one less
- identify and represent numbers using objects and pictorial representations including the number line, and use the language of: equal to, more than, less than (fewer), most, least
- read and write numbers from 1 to 20 in numerals and words.

### Notes and guidance (non-statutory)

Pupils practise counting (1, 2, 3...), ordering (for example, first, second, third...), and to indicate a quantity (for example, 3 apples, 2 centimetres), including solving simple concrete problems, until they are fluent.

Pupils begin to recognise place value in numbers beyond 20 by reading, writing, counting and comparing numbers up to 100, supported by objects and pictorial representations.

They practise counting as reciting numbers and counting as enumerating objects, and counting in twos, fives and tens from different multiples to develop their recognition of patterns in the number system (for example, odd and even numbers), including varied and frequent practice through increasingly complex questions.

They recognise and create repeating patterns with objects and with shapes.

**Number – addition and subtraction****Statutory requirements**

Pupils should be taught to:

- read, write and interpret mathematical statements involving addition (+), subtraction (−) and equals (=) signs
- represent and use number bonds and related subtraction facts within 20
- add and subtract one-digit and two-digit numbers to 20, including zero
- solve one-step problems that involve addition and subtraction, using concrete objects and pictorial representations, and missing number problems such as  $7 = \square - 9$ .

**Notes and guidance (non-statutory)**

Pupils memorise and reason with number bonds to 10 and 20 in several forms (for example,  $9 + 7 = 16$ ;  $16 - 7 = 9$ ;  $7 = 16 - 9$ ). They should realise the effect of adding or subtracting zero. This establishes addition and subtraction as related operations.

Pupils combine and increase numbers, counting forwards and backwards.

They discuss and solve problems in familiar practical contexts, including using quantities. Problems should include the terms: put together, add, altogether, total, take away, distance between, difference between, more than and less than, so that pupils develop the concept of addition and subtraction and are enabled to use these operations flexibly.

## Number – multiplication and division

### Statutory requirements

Pupils should be taught to:

- solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.

### Notes and guidance (non-statutory)

Through grouping and sharing small quantities, pupils begin to understand: multiplication and division; doubling numbers and quantities; and finding simple fractions of objects, numbers and quantities.

They make connections between arrays, number patterns, and counting in twos, fives and tens.

## Number – fractions

### Statutory requirements

Pupils should be taught to:

- recognise, find and name a half as one of two equal parts of an object, shape or quantity
- recognise, find and name a quarter as one of four equal parts of an object, shape or quantity.

### Notes and guidance (non-statutory)

Pupils are taught half and quarter as ‘fractions of’ discrete and continuous quantities by solving problems using shapes, objects and quantities. For example, they could recognise and find half a length, quantity, set of objects or shape. Pupils connect halves and quarters to the equal sharing and grouping of sets of objects and to measures, as well as recognising and combining halves and quarters as parts of a whole.

## Measurement

### Statutory requirements

Pupils should be taught to:

- compare, describe and solve practical problems for:
  - lengths and heights [for example, long/short, longer/shorter, tall/short, double/half]
  - mass/weight [for example, heavy/light, heavier than, lighter than]
  - capacity and volume [for example, full/empty, more than, less than, half, half full, quarter]
  - time [for example, quicker, slower, earlier, later]
- measure and begin to record the following:
  - lengths and heights
  - mass/weight
  - capacity and volume
  - time (hours, minutes, seconds)
- recognise and know the value of different denominations of coins and notes
- sequence events in chronological order using language [for example, before and after, next, first, today, yesterday, tomorrow, morning, afternoon and evening]
- recognise and use language relating to dates, including days of the week, weeks, months and years
- tell the time to the hour and half past the hour and draw the hands on a clock face to show these times.

### Notes and guidance (non-statutory)

The pairs of terms: mass and weight, volume and capacity, are used interchangeably at this stage.

Pupils move from using and comparing different types of quantities and measures using non-standard units, including discrete (for example, counting) and continuous (for example, liquid) measurement, to using manageable common standard units.

In order to become familiar with standard measures, pupils begin to use measuring tools such as a ruler, weighing scales and containers.

Pupils use the language of time, including telling the time throughout the day, first using o'clock and then half past.

## Geometry – properties of shapes

### Statutory requirements

Pupils should be taught to:

- recognise and name common 2-D and 3-D shapes, including:
  - 2-D shapes [for example, rectangles (including squares), circles and triangles]
  - 3-D shapes [for example, cuboids (including cubes), pyramids and spheres].

### Notes and guidance (non-statutory)

Pupils handle common 2-D and 3-D shapes, naming these and related everyday objects fluently. They recognise these shapes in different orientations and sizes, and know that rectangles, triangles, cuboids and pyramids are not always similar to each other.

## Geometry – position and direction

### Statutory requirements

Pupils should be taught to:

- describe position, direction and movement, including whole, half, quarter and three-quarter turns.

### Notes and guidance (non-statutory)

Pupils use the language of position, direction and motion, including: left and right, top, middle and bottom, on top of, in front of, above, between, around, near, close and far, up and down, forwards and backwards, inside and outside.

Pupils make whole, half, quarter and three-quarter turns in both directions and connect turning clockwise with movement on a clock face.

## Year 2 programme of study

### Number – number and place value

#### Statutory requirements

Pupils should be taught to:

- count in steps of 2, 3, and 5 from 0, and in tens from any number, forward and backward
- recognise the place value of each digit in a two-digit number (tens, ones)
- identify, represent and estimate numbers using different representations, including the number line
- compare and order numbers from 0 up to 100; use  $<$ ,  $>$  and  $=$  signs
- read and write numbers to at least 100 in numerals and in words
- use place value and number facts to solve problems.

#### Notes and guidance (non-statutory)

Using materials and a range of representations, pupils practise counting, reading, writing and comparing numbers to at least 100 and solving a variety of related problems to develop fluency. They count in multiples of three to support their later understanding of a third.

As they become more confident with numbers up to 100, pupils are introduced to larger numbers to develop further their recognition of patterns within the number system and represent them in different ways, including spatial representations.

Pupils should partition numbers in different ways (for example,  $23 = 20 + 3$  and  $23 = 10 + 13$ ) to support subtraction. They become fluent and apply their knowledge of numbers to reason with, discuss and solve problems that emphasise the value of each digit in two-digit numbers. They begin to understand zero as a place holder.

## Number – addition and subtraction

### Statutory requirements

Pupils should be taught to:

- solve problems with addition and subtraction:
  - using concrete objects and pictorial representations, including those involving numbers, quantities and measures
  - applying their increasing knowledge of mental and written methods
- recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100
- add and subtract numbers using concrete objects, pictorial representations, and mentally, including:
  - a two-digit number and ones
  - a two-digit number and tens
  - two two-digit numbers
  - adding three one-digit numbers
- show that addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot
- recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems.

### Notes and guidance (non-statutory)

Pupils extend their understanding of the language of addition and subtraction to include sum and difference.

Pupils practise addition and subtraction to 20 to become increasingly fluent in deriving facts such as using  $3 + 7 = 10$ ;  $10 - 7 = 3$  and  $7 = 10 - 3$  to calculate  $30 + 70 = 100$ ;  $100 - 70 = 30$  and  $70 = 100 - 30$ . They check their calculations, including by adding to check subtraction and adding numbers in a different order to check addition (for example,  $5 + 2 + 1 = 1 + 5 + 2 = 1 + 2 + 5$ ). This establishes commutativity and associativity of addition.

Recording addition and subtraction in columns supports place value and prepares for formal written methods with larger numbers.

## Number – multiplication and division

### Statutory requirements

Pupils should be taught to:

- recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers
- calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication ( $\times$ ), division ( $\div$ ) and equals (=) signs
- show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot
- solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts.

### Notes and guidance (non-statutory)

Pupils use a variety of language to describe multiplication and division.

Pupils are introduced to the multiplication tables. They practise to become fluent in the 2, 5 and 10 multiplication tables and connect them to each other. They connect the 10 multiplication table to place value, and the 5 multiplication table to the divisions on the clock face. They begin to use other multiplication tables and recall multiplication facts, including using related division facts to perform written and mental calculations.

Pupils work with a range of materials and contexts in which multiplication and division relate to grouping and sharing discrete and continuous quantities, to arrays and to repeated addition. They begin to relate these to fractions and measures (for example,  $40 \div 2 = 20$ , 20 is a half of 40). They use commutativity and inverse relations to develop multiplicative reasoning (for example,  $4 \times 5 = 20$  and  $20 \div 5 = 4$ ).

## Number – fractions

### Statutory requirements

Pupils should be taught to:

- recognise, find, name and write fractions  $\frac{1}{3}$ ,  $\frac{1}{4}$ ,  $\frac{2}{4}$  and  $\frac{3}{4}$  of a length, shape, set of objects or quantity
- write simple fractions for example,  $\frac{1}{2}$  of 6 = 3 and recognise the equivalence of  $\frac{2}{4}$  and  $\frac{1}{2}$ .

### Notes and guidance (non-statutory)

Pupils use fractions as 'fractions of' discrete and continuous quantities by solving problems using shapes, objects and quantities. They connect unit fractions to equal sharing and grouping, to numbers when they can be calculated, and to measures, finding fractions of lengths, quantities, sets of objects or shapes. They meet  $\frac{3}{4}$  as the first example of a non-unit fraction.

Pupils should count in fractions up to 10, starting from any number and using the  $\frac{1}{2}$  and  $\frac{2}{4}$  equivalence on the number line (for example,  $1\frac{1}{4}$ ,  $1\frac{2}{4}$  (or  $1\frac{1}{2}$ ),  $1\frac{3}{4}$ , 2). This reinforces the concept of fractions as numbers and that they can add up to more than one.

## Measurement

### Statutory requirements

Pupils should be taught to:

- choose and use appropriate standard units to estimate and measure length/height in any direction (m/cm); mass (kg/g); temperature ( $^{\circ}\text{C}$ ); capacity (litres/ml) to the nearest appropriate unit, using rulers, scales, thermometers and measuring vessels
- compare and order lengths, mass, volume/capacity and record the results using  $>$ ,  $<$  and  $=$
- recognise and use symbols for pounds (£) and pence (p); combine amounts to make a particular value
- find different combinations of coins that equal the same amounts of money
- solve simple problems in a practical context involving addition and subtraction of money of the same unit, including giving change
- compare and sequence intervals of time
- tell and write the time to five minutes, including quarter past/to the hour and draw the hands on a clock face to show these times
- know the number of minutes in an hour and the number of hours in a day.

**Notes and guidance (non-statutory)**

Pupils use standard units of measurement with increasing accuracy, using their knowledge of the number system. They use the appropriate language and record using standard abbreviations.

Comparing measures includes simple multiples such as ‘half as high’; ‘twice as wide’.

They become fluent in telling the time on analogue clocks and recording it.

Pupils become fluent in counting and recognising coins. They read and say amounts of money confidently and use the symbols £ and p accurately, recording pounds and pence separately.

**Geometry – properties of shapes****Statutory requirements**

Pupils should be taught to:

- identify and describe the properties of 2-D shapes, including the number of sides and line symmetry in a vertical line
- identify and describe the properties of 3-D shapes, including the number of edges, vertices and faces
- identify 2-D shapes on the surface of 3-D shapes, [for example, a circle on a cylinder and a triangle on a pyramid]
- compare and sort common 2-D and 3-D shapes and everyday objects.

**Notes and guidance (non-statutory)**

Pupils handle and name a wide variety of common 2-D and 3-D shapes including: quadrilaterals and polygons, and cuboids, prisms and cones, and identify the properties of each shape (for example, number of sides, number of faces). Pupils identify, compare and sort shapes on the basis of their properties and use vocabulary precisely, such as sides, edges, vertices and faces.

Pupils read and write names for shapes that are appropriate for their word reading and spelling.

Pupils draw lines and shapes using a straight edge.

## Geometry – position and direction

### Statutory requirements

Pupils should be taught to:

- order and arrange combinations of mathematical objects in patterns and sequences
- use mathematical vocabulary to describe position, direction and movement, including movement in a straight line and distinguishing between rotation as a turn and in terms of right angles for quarter, half and three-quarter turns (clockwise and anti-clockwise).

### Notes and guidance (non-statutory)

Pupils should work with patterns of shapes, including those in different orientations.

Pupils use the concept and language of angles to describe 'turn' by applying rotations, including in practical contexts (for example, pupils themselves moving in turns, giving instructions to other pupils to do so, and programming robots using instructions given in right angles).

## Statistics

### Statutory requirements

Pupils should be taught to:

- interpret and construct simple pictograms, tally charts, block diagrams and simple tables
- ask and answer simple questions by counting the number of objects in each category and sorting the categories by quantity
- ask and answer questions about totalling and comparing categorical data.

### Notes and guidance (non-statutory)

Pupils record, interpret, collate, organise and compare information (for example, using many-to-one correspondence in pictograms with simple ratios 2, 5, 10).

## Lower key stage 2 – years 3 and 4

The principal focus of mathematics teaching in lower key stage 2 is to ensure that pupils become increasingly fluent with whole numbers and the four operations, including number facts and the concept of place value. This should ensure that pupils develop efficient written and mental methods and perform calculations accurately with increasingly large whole numbers.

At this stage, pupils should develop their ability to solve a range of problems, including with simple fractions and decimal place value. Teaching should also ensure that pupils draw with increasing accuracy and develop mathematical reasoning so they can analyse shapes and their properties, and confidently describe the relationships between them. It should ensure that they can use measuring instruments with accuracy and make connections between measure and number.

By the end of year 4, pupils should have memorised their multiplication tables up to and including the 12 multiplication table and show precision and fluency in their work.

Pupils should read and spell mathematical vocabulary correctly and confidently, using their growing word reading knowledge and their knowledge of spelling.

## Year 3 programme of study

### Number – number and place value

#### Statutory requirements

Pupils should be taught to:

- count from 0 in multiples of 4, 8, 50 and 100; find 10 or 100 more or less than a given number
- recognise the place value of each digit in a three-digit number (hundreds, tens, ones)
- compare and order numbers up to 1000
- identify, represent and estimate numbers using different representations
- read and write numbers up to 1000 in numerals and in words
- solve number problems and practical problems involving these ideas.

#### Notes and guidance (non-statutory)

Pupils now use multiples of 2, 3, 4, 5, 8, 10, 50 and 100.

They use larger numbers to at least 1000, applying partitioning related to place value using varied and increasingly complex problems, building on work in year 2 (for example,  $146 = 100 + 40 + 6$ ,  $146 = 130 + 16$ ).

Using a variety of representations, including those related to measure, pupils continue to count in ones, tens and hundreds, so that they become fluent in the order and place value of numbers to 1000.

## Number – addition and subtraction

### Statutory requirements

Pupils should be taught to:

- add and subtract numbers mentally, including:
  - a three-digit number and ones
  - a three-digit number and tens
  - a three-digit number and hundreds
- add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction
- estimate the answer to a calculation and use inverse operations to check answers
- solve problems, including missing number problems, using number facts, place value, and more complex addition and subtraction.

### Notes and guidance (non-statutory)

Pupils practise solving varied addition and subtraction questions. For mental calculations with two-digit numbers, the answers could exceed 100.

Pupils use their understanding of place value and partitioning, and practise using columnar addition and subtraction with increasingly large numbers up to three digits to become fluent (see [Mathematics Appendix 1](#)).

## Number – multiplication and division

### Statutory requirements

Pupils should be taught to:

- recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables
- write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods
- solve problems, including missing number problems, involving multiplication and division, including positive integer scaling problems and correspondence problems in which  $n$  objects are connected to  $m$  objects.

### Notes and guidance (non-statutory)

Pupils continue to practise their mental recall of multiplication tables when they are calculating mathematical statements in order to improve fluency. Through doubling, they connect the 2, 4 and 8 multiplication tables.

Pupils develop efficient mental methods, for example, using commutativity and associativity (for example,  $4 \times 12 \times 5 = 4 \times 5 \times 12 = 20 \times 12 = 240$ ) and multiplication and division facts (for example, using  $3 \times 2 = 6$ ,  $6 \div 3 = 2$  and  $2 = 6 \div 3$ ) to derive related facts (for example,  $30 \times 2 = 60$ ,  $60 \div 3 = 20$  and  $20 = 60 \div 3$ ).

Pupils develop reliable written methods for multiplication and division, starting with calculations of two-digit numbers by one-digit numbers and progressing to the formal written methods of short multiplication and division.

Pupils solve simple problems in contexts, deciding which of the four operations to use and why. These include measuring and scaling contexts, (for example, four times as high, eight times as long etc.) and correspondence problems in which  $m$  objects are connected to  $n$  objects (for example, 3 hats and 4 coats, how many different outfits?; 12 sweets shared equally between 4 children; 4 cakes shared equally between 8 children).

## Number – fractions

### Statutory requirements

Pupils should be taught to:

- count up and down in tenths; recognise that tenths arise from dividing an object into 10 equal parts and in dividing one-digit numbers or quantities by 10
- recognise, find and write fractions of a discrete set of objects: unit fractions and non-unit fractions with small denominators
- recognise and use fractions as numbers: unit fractions and non-unit fractions with small denominators
- recognise and show, using diagrams, equivalent fractions with small denominators
- add and subtract fractions with the same denominator within one whole [for example,  $\frac{5}{7} + \frac{1}{7} = \frac{6}{7}$ ]
- compare and order unit fractions, and fractions with the same denominators
- solve problems that involve all of the above.

**Notes and guidance (non-statutory)**

Pupils connect tenths to place value, decimal measures and to division by 10.

They begin to understand unit and non-unit fractions as numbers on the number line, and deduce relations between them, such as size and equivalence. They should go beyond the  $[0, 1]$  interval, including relating this to measure.

Pupils understand the relation between unit fractions as operators (fractions of), and division by integers.

They continue to recognise fractions in the context of parts of a whole, numbers, measurements, a shape, and unit fractions as a division of a quantity.

Pupils practise adding and subtracting fractions with the same denominator through a variety of increasingly complex problems to improve fluency.

**Measurement****Statutory requirements**

Pupils should be taught to:

- measure, compare, add and subtract: lengths (m/cm/mm); mass (kg/g); volume/capacity (l/ml)
- measure the perimeter of simple 2-D shapes
- add and subtract amounts of money to give change, using both £ and p in practical contexts
- tell and write the time from an analogue clock, including using Roman numerals from I to XII, and 12-hour and 24-hour clocks
- estimate and read time with increasing accuracy to the nearest minute; record and compare time in terms of seconds, minutes and hours; use vocabulary such as o'clock, a.m./p.m., morning, afternoon, noon and midnight
- know the number of seconds in a minute and the number of days in each month, year and leap year
- compare durations of events [for example to calculate the time taken by particular events or tasks].

### Notes and guidance (non-statutory)

Pupils continue to measure using the appropriate tools and units, progressing to using a wider range of measures, including comparing and using mixed units (for example, 1 kg and 200g) and simple equivalents of mixed units (for example, 5m = 500cm).

The comparison of measures includes simple scaling by integers (for example, a given quantity or measure is twice as long or five times as high) and this connects to multiplication.

Pupils continue to become fluent in recognising the value of coins, by adding and subtracting amounts, including mixed units, and giving change using manageable amounts. They record £ and p separately. The decimal recording of money is introduced formally in year 4.

Pupils use both analogue and digital 12-hour clocks and record their times. In this way they become fluent in and prepared for using digital 24-hour clocks in year 4.

## Geometry – properties of shapes

### Statutory requirements

Pupils should be taught to:

- draw 2-D shapes and make 3-D shapes using modelling materials; recognise 3-D shapes in different orientations and describe them
- recognise angles as a property of shape or a description of a turn
- identify right angles, recognise that two right angles make a half-turn, three make three quarters of a turn and four a complete turn; identify whether angles are greater than or less than a right angle
- identify horizontal and vertical lines and pairs of perpendicular and parallel lines.

### Notes and guidance (non-statutory)

Pupils' knowledge of the properties of shapes is extended at this stage to symmetrical and non-symmetrical polygons and polyhedra. Pupils extend their use of the properties of shapes. They should be able to describe the properties of 2-D and 3-D shapes using accurate language, including lengths of lines and acute and obtuse for angles greater or lesser than a right angle.

Pupils connect decimals and rounding to drawing and measuring straight lines in centimetres, in a variety of contexts.

## Statistics

### Statutory requirements

Pupils should be taught to:

- interpret and present data using bar charts, pictograms and tables
- solve one-step and two-step questions [for example, ‘How many more?’ and ‘How many fewer?'] using information presented in scaled bar charts and pictograms and tables.

### Notes and guidance (non-statutory)

Pupils understand and use simple scales (for example, 2, 5, 10 units per cm) in pictograms and bar charts with increasing accuracy.

They continue to interpret data presented in many contexts.

## Year 4 programme of study

### Number – number and place value

#### Statutory requirements

Pupils should be taught to

- count in multiples of 6, 7, 9, 25 and 1000
- find 1000 more or less than a given number
- count backwards through zero to include negative numbers
- recognise the place value of each digit in a four-digit number (thousands, hundreds, tens, and ones)
- order and compare numbers beyond 1000
- identify, represent and estimate numbers using different representations
- round any number to the nearest 10, 100 or 1000
- solve number and practical problems that involve all of the above and with increasingly large positive numbers
- read Roman numerals to 100 (I to C) and know that over time, the numeral system changed to include the concept of zero and place value.

#### Notes and guidance (non-statutory)

Using a variety of representations, including measures, pupils become fluent in the order and place value of numbers beyond 1000, including counting in tens and hundreds, and maintaining fluency in other multiples through varied and frequent practice.

They begin to extend their knowledge of the number system to include the decimal numbers and fractions that they have met so far.

They connect estimation and rounding numbers to the use of measuring instruments.

Roman numerals should be put in their historical context so pupils understand that there have been different ways to write whole numbers and that the important concepts of zero and place value were introduced over a period of time.

## Number – addition and subtraction

### Statutory requirements

Pupils should be taught to:

- add and subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate
- estimate and use inverse operations to check answers to a calculation
- solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why.

### Notes and guidance (non-statutory)

Pupils continue to practise both mental methods and columnar addition and subtraction with increasingly large numbers to aid fluency (see [Mathematics Appendix 1](#)).

## Number – multiplication and division

### Statutory requirements

Pupils should be taught to:

- recall multiplication and division facts for multiplication tables up to  $12 \times 12$
- use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers
- recognise and use factor pairs and commutativity in mental calculations
- multiply two-digit and three-digit numbers by a one-digit number using formal written layout
- solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as  $n$  objects are connected to  $m$  objects.

### Notes and guidance (non-statutory)

Pupils continue to practise recalling and using multiplication tables and related division facts to aid fluency.

Pupils practise mental methods and extend this to three-digit numbers to derive facts, (for example  $600 \div 3 = 200$  can be derived from  $2 \times 3 = 6$ ).

### Notes and guidance (non-statutory)

Pupils practise to become fluent in the formal written method of short multiplication and short division with exact answers (see [Mathematics Appendix 1](#)).

Pupils write statements about the equality of expressions (for example, use the distributive law  $39 \times 7 = 30 \times 7 + 9 \times 7$  and associative law  $(2 \times 3) \times 4 = 2 \times (3 \times 4)$ ).

They combine their knowledge of number facts and rules of arithmetic to solve mental and written calculations for example,  $2 \times 6 \times 5 = 10 \times 6 = 60$ .

Pupils solve two-step problems in contexts, choosing the appropriate operation, working with increasingly harder numbers. This should include correspondence questions such as the numbers of choices of a meal on a menu, or three cakes shared equally between 10 children.

## Number – fractions (including decimals)

### Statutory requirements

Pupils should be taught to:

- recognise and show, using diagrams, families of common equivalent fractions
- count up and down in hundredths; recognise that hundredths arise when dividing an object by one hundred and dividing tenths by ten.
- solve problems involving increasingly harder fractions to calculate quantities, and fractions to divide quantities, including non-unit fractions where the answer is a whole number
- add and subtract fractions with the same denominator
- recognise and write decimal equivalents of any number of tenths or hundredths
- recognise and write decimal equivalents to  $\frac{1}{4}$ ,  $\frac{1}{2}$ ,  $\frac{3}{4}$
- find the effect of dividing a one- or two-digit number by 10 and 100, identifying the value of the digits in the answer as ones, tenths and hundredths
- round decimals with one decimal place to the nearest whole number
- compare numbers with the same number of decimal places up to two decimal places
- solve simple measure and money problems involving fractions and decimals to two decimal places.

**Notes and guidance (non-statutory)**

Pupils should connect hundredths to tenths and place value and decimal measure.

They extend the use of the number line to connect fractions, numbers and measures.

Pupils understand the relation between non-unit fractions and multiplication and division of quantities, with particular emphasis on tenths and hundredths.

Pupils make connections between fractions of a length, of a shape and as a representation of one whole or set of quantities. Pupils use factors and multiples to recognise equivalent fractions and simplify where appropriate (for example,  $\frac{6}{9} = \frac{2}{3}$  or  $\frac{1}{4} = \frac{2}{8}$ ).

Pupils continue to practise adding and subtracting fractions with the same denominator, to become fluent through a variety of increasingly complex problems beyond one whole.

Pupils are taught throughout that decimals and fractions are different ways of expressing numbers and proportions.

Pupils' understanding of the number system and decimal place value is extended at this stage to tenths and then hundredths. This includes relating the decimal notation to division of whole number by 10 and later 100.

They practise counting using simple fractions and decimals, both forwards and backwards.

Pupils learn decimal notation and the language associated with it, including in the context of measurements. They make comparisons and order decimal amounts and quantities that are expressed to the same number of decimal places. They should be able to represent numbers with one or two decimal places in several ways, such as on number lines.

**Measurement****Statutory requirements**

Pupils should be taught to:

- Convert between different units of measure [for example, kilometre to metre; hour to minute]
- measure and calculate the perimeter of a rectilinear figure (including squares) in centimetres and metres
- find the area of rectilinear shapes by counting squares
- estimate, compare and calculate different measures, including money in pounds and pence

### Statutory requirements

- read, write and convert time between analogue and digital 12- and 24-hour clocks
- solve problems involving converting from hours to minutes; minutes to seconds; years to months; weeks to days.

### Notes and guidance (non-statutory)

Pupils build on their understanding of place value and decimal notation to record metric measures, including money.

They use multiplication to convert from larger to smaller units.

Perimeter can be expressed algebraically as  $2(a + b)$  where  $a$  and  $b$  are the dimensions in the same unit.

They relate area to arrays and multiplication.

## Geometry – properties of shapes

### Statutory requirements

Pupils should be taught to:

- compare and classify geometric shapes, including quadrilaterals and triangles, based on their properties and sizes
- identify acute and obtuse angles and compare and order angles up to two right angles by size
- identify lines of symmetry in 2-D shapes presented in different orientations
- complete a simple symmetric figure with respect to a specific line of symmetry.

### Notes and guidance (non-statutory)

Pupils continue to classify shapes using geometrical properties, extending to classifying different triangles (for example, isosceles, equilateral, scalene) and quadrilaterals (for example, parallelogram, rhombus, trapezium).

Pupils compare and order angles in preparation for using a protractor and compare lengths and angles to decide if a polygon is regular or irregular.

Pupils draw symmetric patterns using a variety of media to become familiar with different orientations of lines of symmetry; and recognise line symmetry in a variety of diagrams, including where the line of symmetry does not dissect the original shape.

## Geometry – position and direction

### Statutory requirements

Pupils should be taught to:

- describe positions on a 2-D grid as coordinates in the first quadrant
- describe movements between positions as translations of a given unit to the left/right and up/down
- plot specified points and draw sides to complete a given polygon.

### Notes and guidance (non-statutory)

Pupils draw a pair of axes in one quadrant, with equal scales and integer labels. They read, write and use pairs of coordinates, for example (2, 5), including using coordinate-plotting ICT tools.

## Statistics

### Statutory requirements

Pupils should be taught to:

- interpret and present discrete and continuous data using appropriate graphical methods, including bar charts and time graphs.
- solve comparison, sum and difference problems using information presented in bar charts, pictograms, tables and other graphs.

### Notes and guidance (non-statutory)

Pupils understand and use a greater range of scales in their representations.

Pupils begin to relate the graphical representation of data to recording change over time.

## Upper key stage 2 – years 5 and 6

The principal focus of mathematics teaching in upper key stage 2 is to ensure that pupils extend their understanding of the number system and place value to include larger integers. This should develop the connections that pupils make between multiplication and division with fractions, decimals, percentages and ratio.

At this stage, pupils should develop their ability to solve a wider range of problems, including increasingly complex properties of numbers and arithmetic, and problems demanding efficient written and mental methods of calculation. With this foundation in arithmetic, pupils are introduced to the language of algebra as a means for solving a variety of problems. Teaching in geometry and measures should consolidate and extend knowledge developed in number. Teaching should also ensure that pupils classify shapes with increasingly complex geometric properties and that they learn the vocabulary they need to describe them.

By the end of year 6, pupils should be fluent in written methods for all four operations, including long multiplication and division, and in working with fractions, decimals and percentages.

Pupils should read, spell and pronounce mathematical vocabulary correctly.

## Year 5 programme of study

### Number – number and place value

#### Statutory requirements

Pupils should be taught to:

- read, write, order and compare numbers to at least 1 000 000 and determine the value of each digit
- count forwards or backwards in steps of powers of 10 for any given number up to 1 000 000
- interpret negative numbers in context, count forwards and backwards with positive and negative whole numbers, including through zero
- round any number up to 1 000 000 to the nearest 10, 100, 1000, 10 000 and 100 000
- solve number problems and practical problems that involve all of the above
- read Roman numerals to 1000 (M) and recognise years written in Roman numerals.

#### Notes and guidance (non-statutory)

Pupils identify the place value in large whole numbers.

They continue to use number in context, including measurement. Pupils extend and apply their understanding of the number system to the decimal numbers and fractions that they have met so far.

They should recognise and describe linear number sequences, including those involving fractions and decimals, and find the term-to-term rule.

They should recognise and describe linear number sequences (for example, 3,  $3\frac{1}{2}$ , 4,  $4\frac{1}{2}$ ...), including those involving fractions and decimals, and find the term-to-term rule in words (for example, add  $\frac{1}{2}$ ).

## Number – addition and subtraction

### Statutory requirements

Pupils should be taught to:

- add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction)
- add and subtract numbers mentally with increasingly large numbers
- use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy
- solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why.

### Notes and guidance (non-statutory)

Pupils practise using the formal written methods of columnar addition and subtraction with increasingly large numbers to aid fluency (see [Mathematics Appendix 1](#)).

They practise mental calculations with increasingly large numbers to aid fluency (for example,  $12\,462 - 2300 = 10\,162$ ).

## Number – multiplication and division

### Statutory requirements

Pupils should be taught to:

- identify multiples and factors, including finding all factor pairs of a number, and common factors of two numbers
- know and use the vocabulary of prime numbers, prime factors and composite (non-prime) numbers
- establish whether a number up to 100 is prime and recall prime numbers up to 19
- multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers
- multiply and divide numbers mentally drawing upon known facts
- divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context
- multiply and divide whole numbers and those involving decimals by 10, 100 and 1000

### Statutory requirements

- recognise and use square numbers and cube numbers, and the notation for squared ( $^2$ ) and cubed ( $^3$ )
- solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes
- solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign
- solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates.

### Notes and guidance (non-statutory)

Pupils practise and extend their use of the formal written methods of short multiplication and short division (see [Mathematics Appendix 1](#)). They apply all the multiplication tables and related division facts frequently, commit them to memory and use them confidently to make larger calculations.

They use and understand the terms factor, multiple and prime, square and cube numbers.

Pupils interpret non-integer answers to division by expressing results in different ways according to the context, including with remainders, as fractions, as decimals or by rounding (for example,  $98 \div 4 = \frac{98}{4} = 24 \text{ r } 2 = 24\frac{1}{2} = 24.5 \approx 25$ ).

Pupils use multiplication and division as inverses to support the introduction of ratio in year 6, for example, by multiplying and dividing by powers of 10 in scale drawings or by multiplying and dividing by powers of a 1000 in converting between units such as kilometres and metres.

Distributivity can be expressed as  $a(b + c) = ab + ac$ .

They understand the terms factor, multiple and prime, square and cube numbers and use them to construct equivalence statements (for example,  $4 \times 35 = 2 \times 2 \times 35$ ;  $3 \times 270 = 3 \times 3 \times 9 \times 10 = 9^2 \times 10$ ).

Pupils use and explain the equals sign to indicate equivalence, including in missing number problems (for example,  $13 + 24 = 12 + 25$ ;  $33 = 5 \times \square$ ).

## Number – fractions (including decimals and percentages)

### Statutory requirements

Pupils should be taught to:

- compare and order fractions whose denominators are all multiples of the same number
- identify, name and write equivalent fractions of a given fraction, represented visually, including tenths and hundredths
- recognise mixed numbers and improper fractions and convert from one form to the other and write mathematical statements  $> 1$  as a mixed number [for example,  $\frac{2}{5} + \frac{4}{5} = \frac{6}{5} = 1\frac{1}{5}$ ]
- add and subtract fractions with the same denominator and denominators that are multiples of the same number
- multiply proper fractions and mixed numbers by whole numbers, supported by materials and diagrams
- read and write decimal numbers as fractions [for example,  $0.71 = \frac{71}{100}$ ]
- recognise and use thousandths and relate them to tenths, hundredths and decimal equivalents
- round decimals with two decimal places to the nearest whole number and to one decimal place
- read, write, order and compare numbers with up to three decimal places
- solve problems involving number up to three decimal places
- recognise the per cent symbol (%) and understand that per cent relates to ‘number of parts per hundred’, and write percentages as a fraction with denominator 100, and as a decimal
- solve problems which require knowing percentage and decimal equivalents of  $\frac{1}{2}$ ,  $\frac{1}{4}$ ,  $\frac{1}{5}$ ,  $\frac{2}{5}$ ,  $\frac{4}{5}$  and those fractions with a denominator of a multiple of 10 or 25.

### Notes and guidance (non-statutory)

Pupils should be taught throughout that percentages, decimals and fractions are different ways of expressing proportions.

They extend their knowledge of fractions to thousandths and connect to decimals and measures.

**Notes and guidance (non-statutory)**

Pupils connect equivalent fractions  $> 1$  that simplify to integers with division and other fractions  $> 1$  to division with remainders, using the number line and other models, and hence move from these to improper and mixed fractions.

Pupils connect multiplication by a fraction to using fractions as operators (fractions of), and to division, building on work from previous years. This relates to scaling by simple fractions, including fractions  $> 1$ .

Pupils practise adding and subtracting fractions to become fluent through a variety of increasingly complex problems. They extend their understanding of adding and subtracting fractions to calculations that exceed 1 as a mixed number.

Pupils continue to practise counting forwards and backwards in simple fractions.

Pupils continue to develop their understanding of fractions as numbers, measures and operators by finding fractions of numbers and quantities.

Pupils extend counting from year 4, using decimals and fractions including bridging zero, for example on a number line.

Pupils say, read and write decimal fractions and related tenths, hundredths and thousandths accurately and are confident in checking the reasonableness of their answers to problems.

They mentally add and subtract tenths, and one-digit whole numbers and tenths.

They practise adding and subtracting decimals, including a mix of whole numbers and decimals, decimals with different numbers of decimal places, and complements of 1 (for example,  $0.83 + 0.17 = 1$ ).

Pupils should go beyond the measurement and money models of decimals, for example, by solving puzzles involving decimals.

Pupils should make connections between percentages, fractions and decimals (for example, 100% represents a whole quantity and 1% is  $\frac{1}{100}$ , 50% is  $\frac{50}{100}$ , 25% is  $\frac{25}{100}$ ) and relate this to finding 'fractions of'.

## Measurement

### Statutory requirements

Pupils should be taught to:

- convert between different units of metric measure (for example, kilometre and metre; centimetre and metre; centimetre and millimetre; gram and kilogram; litre and millilitre)
- understand and use approximate equivalences between metric units and common imperial units such as inches, pounds and pints
- measure and calculate the perimeter of composite rectilinear shapes in centimetres and metres
- calculate and compare the area of rectangles (including squares), and including using standard units, square centimetres (cm<sup>2</sup>) and square metres (m<sup>2</sup>) and estimate the area of irregular shapes
- estimate volume [for example, using 1 cm<sup>3</sup> blocks to build cuboids (including cubes)] and capacity [for example, using water]
- solve problems involving converting between units of time
- use all four operations to solve problems involving measure [for example, length, mass, volume, money] using decimal notation, including scaling.

### Notes and guidance (non-statutory)

Pupils use their knowledge of place value and multiplication and division to convert between standard units.

Pupils calculate the perimeter of rectangles and related composite shapes, including using the relations of perimeter or area to find unknown lengths. Missing measures questions such as these can be expressed algebraically, for example  $4 + 2b = 20$  for a rectangle of sides 2 cm and  $b$  cm and perimeter of 20cm.

Pupils calculate the area from scale drawings using given measurements.

Pupils use all four operations in problems involving time and money, including conversions (for example, days to weeks, expressing the answer as weeks and days).

## Geometry – properties of shapes

### Statutory requirements

Pupils should be taught to:

- identify 3-D shapes, including cubes and other cuboids, from 2-D representations
- know angles are measured in degrees: estimate and compare acute, obtuse and reflex angles
- draw given angles, and measure them in degrees ( $^{\circ}$ )
- identify:
  - angles at a point and one whole turn (total  $360^{\circ}$ )
  - angles at a point on a straight line and  $\frac{1}{2}$  a turn (total  $180^{\circ}$ )
  - other multiples of  $90^{\circ}$
- use the properties of rectangles to deduce related facts and find missing lengths and angles
- distinguish between regular and irregular polygons based on reasoning about equal sides and angles.

### Notes and guidance (non-statutory)

Pupils become accurate in drawing lines with a ruler to the nearest millimetre, and measuring with a protractor. They use conventional markings for parallel lines and right angles.

Pupils use the term diagonal and make conjectures about the angles formed between sides, and between diagonals and parallel sides, and other properties of quadrilaterals, for example using dynamic geometry ICT tools.

Pupils use angle sum facts and other properties to make deductions about missing angles and relate these to missing number problems.

## Geometry – position and direction

### Statutory requirements

Pupils should be taught to:

- identify, describe and represent the position of a shape following a reflection or translation, using the appropriate language, and know that the shape has not changed.

### Notes and guidance (non-statutory)

Pupils recognise and use reflection and translation in a variety of diagrams, including continuing to use a 2-D grid and coordinates in the first quadrant. Reflection should be in lines that are parallel to the axes.

## Statistics

### Statutory requirements

Pupils should be taught to:

- solve comparison, sum and difference problems using information presented in a line graph
- complete, read and interpret information in tables, including timetables.

### Notes and guidance (non-statutory)

Pupils connect their work on coordinates and scales to their interpretation of time graphs.

They begin to decide which representations of data are most appropriate and why.

## Year 6 programme of study

### Number – number and place value

#### Statutory requirements

Pupils should be taught to:

- read, write, order and compare numbers up to 10 000 000 and determine the value of each digit
- round any whole number to a required degree of accuracy
- use negative numbers in context, and calculate intervals across zero
- solve number and practical problems that involve all of the above.

#### Notes and guidance (non-statutory)

Pupils use the whole number system, including saying, reading and writing numbers accurately.

### Number – addition, subtraction, multiplication and division

#### Statutory requirements

Pupils should be taught to:

- multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication
- divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context
- divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context
- perform mental calculations, including with mixed operations and large numbers
- identify common factors, common multiples and prime numbers
- use their knowledge of the order of operations to carry out calculations involving the four operations
- solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why

### Statutory requirements

- solve problems involving addition, subtraction, multiplication and division
- use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy.

### Notes and guidance (non-statutory)

Pupils practise addition, subtraction, multiplication and division for larger numbers, using the formal written methods of columnar addition and subtraction, short and long multiplication, and short and long division (see [Mathematics Appendix 1](#)).

They undertake mental calculations with increasingly large numbers and more complex calculations.

Pupils continue to use all the multiplication tables to calculate mathematical statements in order to maintain their fluency.

Pupils round answers to a specified degree of accuracy, for example, to the nearest 10, 20, 50 etc., but not to a specified number of significant figures.

Pupils explore the order of operations using brackets; for example,  $2 + 1 \times 3 = 5$  and  $(2 + 1) \times 3 = 9$ .

Common factors can be related to finding equivalent fractions.

## Number – fractions (including decimals and percentages)

### Statutory requirements

Pupils should be taught to:

- use common factors to simplify fractions; use common multiples to express fractions in the same denomination
- compare and order fractions, including fractions  $> 1$
- add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions
- multiply simple pairs of proper fractions, writing the answer in its simplest form [for example,  $\frac{1}{4} \times \frac{1}{2} = \frac{1}{8}$ ]
- divide proper fractions by whole numbers [for example,  $\frac{1}{3} \div 2 = \frac{1}{6}$ ]
- associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375] for a simple fraction [for example,  $\frac{3}{8}$ ]
- identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places

### Statutory requirements

- multiply one-digit numbers with up to two decimal places by whole numbers
- use written division methods in cases where the answer has up to two decimal places
- solve problems which require answers to be rounded to specified degrees of accuracy
- recall and use equivalences between simple fractions, decimals and percentages, including in different contexts.

### Notes and guidance (non-statutory)

Pupils should practise, use and understand the addition and subtraction of fractions with different denominators by identifying equivalent fractions with the same denominator. They should start with fractions where the denominator of one fraction is a multiple of the other (for example,  $\frac{1}{2} + \frac{1}{8} = \frac{5}{8}$ ) and progress to varied and increasingly complex problems.

Pupils should use a variety of images to support their understanding of multiplication with fractions. This follows earlier work about fractions as operators (fractions of), as numbers, and as equal parts of objects, for example as parts of a rectangle.

Pupils use their understanding of the relationship between unit fractions and division to work backwards by multiplying a quantity that represents a unit fraction to find the whole quantity (for example, if  $\frac{1}{4}$  of a length is 36cm, then the whole length is  $36 \times 4 = 144$ cm).

They practise calculations with simple fractions and decimal fraction equivalents to aid fluency, including listing equivalent fractions to identify fractions with common denominators.

Pupils can explore and make conjectures about converting a simple fraction to a decimal fraction (for example,  $3 \div 8 = 0.375$ ). For simple fractions with recurring decimal equivalents, pupils learn about rounding the decimal to three decimal places, or other appropriate approximations depending on the context. Pupils multiply and divide numbers with up to two decimal places by one-digit and two-digit whole numbers. Pupils multiply decimals by whole numbers, starting with the simplest cases, such as  $0.4 \times 2 = 0.8$ , and in practical contexts, such as measures and money.

Pupils are introduced to the division of decimal numbers by one-digit whole number, initially, in practical contexts involving measures and money. They recognise division calculations as the inverse of multiplication.

Pupils also develop their skills of rounding and estimating as a means of predicting and checking the order of magnitude of their answers to decimal calculations. This includes rounding answers to a specified degree of accuracy and checking the reasonableness of their answers.

## Ratio and proportion

### Statutory requirements

Pupils should be taught to:

- solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts
- solve problems involving the calculation of percentages [for example, of measures, and such as 15% of 360] and the use of percentages for comparison
- solve problems involving similar shapes where the scale factor is known or can be found
- solve problems involving unequal sharing and grouping using knowledge of fractions and multiples.

### Notes and guidance (non-statutory)

Pupils recognise proportionality in contexts when the relations between quantities are in the same ratio (for example, similar shapes and recipes).

Pupils link percentages or  $360^\circ$  to calculating angles of pie charts.

Pupils should consolidate their understanding of ratio when comparing quantities, sizes and scale drawings by solving a variety of problems. They might use the notation  $a:b$  to record their work.

Pupils solve problems involving unequal quantities, for example, ‘for every egg you need three spoonfuls of flour’, ‘ $\frac{3}{5}$  of the class are boys’. These problems are the foundation for later formal approaches to ratio and proportion.

## Algebra

### Statutory requirements

Pupils should be taught to:

- use simple formulae
- generate and describe linear number sequences
- express missing number problems algebraically
- find pairs of numbers that satisfy an equation with two unknowns
- enumerate possibilities of combinations of two variables.

**Notes and guidance (non-statutory)**

Pupils should be introduced to the use of symbols and letters to represent variables and unknowns in mathematical situations that they already understand, such as:

- missing numbers, lengths, coordinates and angles
- formulae in mathematics and science
- equivalent expressions (for example,  $a + b = b + a$ )
- generalisations of number patterns
- number puzzles (for example, what two numbers can add up to).

**Measurement****Statutory requirements**

Pupils should be taught to:

- solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate
- use, read, write and convert between standard units, converting measurements of length, mass, volume and time from a smaller unit of measure to a larger unit, and vice versa, using decimal notation to up to three decimal places
- convert between miles and kilometres
- recognise that shapes with the same areas can have different perimeters and vice versa
- recognise when it is possible to use formulae for area and volume of shapes
- calculate the area of parallelograms and triangles
- calculate, estimate and compare volume of cubes and cuboids using standard units, including cubic centimetres ( $\text{cm}^3$ ) and cubic metres ( $\text{m}^3$ ), and extending to other units [for example,  $\text{mm}^3$  and  $\text{km}^3$ ].

**Notes and guidance (non-statutory)**

Pupils connect conversion (for example, from kilometres to miles) to a graphical representation as preparation for understanding linear/proportional graphs.

They know approximate conversions and are able to tell if an answer is sensible.

Using the number line, pupils use, add and subtract positive and negative integers for measures such as temperature.

### Notes and guidance (non-statutory)

They relate the area of rectangles to parallelograms and triangles, for example, by dissection, and calculate their areas, understanding and using the formulae (in words or symbols) to do this.

Pupils could be introduced to compound units for speed, such as miles per hour, and apply their knowledge in science or other subjects as appropriate.

## Geometry – properties of shapes

### Statutory requirements

Pupils should be taught to:

- draw 2-D shapes using given dimensions and angles
- recognise, describe and build simple 3-D shapes, including making nets
- compare and classify geometric shapes based on their properties and sizes and find unknown angles in any triangles, quadrilaterals, and regular polygons
- illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius
- recognise angles where they meet at a point, are on a straight line, or are vertically opposite, and find missing angles.

### Notes and guidance (non-statutory)

Pupils draw shapes and nets accurately, using measuring tools and conventional markings and labels for lines and angles.

Pupils describe the properties of shapes and explain how unknown angles and lengths can be derived from known measurements.

These relationships might be expressed algebraically for example,  $d = 2 \times r$ ,  
 $a = 180 - (b + c)$ .

## Geometry – position and direction

### Statutory requirements

Pupils should be taught to:

- describe positions on the full coordinate grid (all four quadrants)
- draw and translate simple shapes on the coordinate plane, and reflect them in the axes.

### Notes and guidance (non-statutory)

Pupils draw and label a pair of axes in all four quadrants with equal scaling. This extends their knowledge of one quadrant to all four quadrants, including the use of negative numbers.

Pupils draw and label rectangles (including squares), parallelograms and rhombuses, specified by coordinates in the four quadrants, predicting missing coordinates using the properties of shapes. These might be expressed algebraically for example, translating vertex  $(a, b)$  to  $(a - 2, b + 3)$ ;  $(a, b)$  and  $(a + d, b + d)$  being opposite vertices of a square of side  $d$ .

## Statistics

### Statutory requirements

Pupils should be taught to:

- interpret and construct pie charts and line graphs and use these to solve problems
- calculate and interpret the mean as an average.

### Notes and guidance (non-statutory)

Pupils connect their work on angles, fractions and percentages to the interpretation of pie charts.

Pupils both encounter and draw graphs relating two variables, arising from their own enquiry and in other subjects.

They should connect conversion from kilometres to miles in measurement to its graphical representation.

Pupils know when it is appropriate to find the mean of a data set.

## Mathematics Appendix 1: Examples of formal written methods for addition, subtraction, multiplication and division

This appendix sets out some examples of formal written methods for all four operations to illustrate the range of methods that could be taught. It is not intended to be an exhaustive list, nor is it intended to show progression in formal written methods. For example, the exact position of intermediate calculations (superscript and subscript digits) will vary depending on the method and format used.

For multiplication, some pupils may include an addition symbol when adding partial products. For division, some pupils may include a subtraction symbol when subtracting multiples of the divisor.

### Addition and subtraction

789 + 642 becomes

$$\begin{array}{r} 789 \\ + 642 \\ \hline 1431 \\ \hline \end{array}$$

Answer: 1431

874 – 523 becomes

$$\begin{array}{r} 874 \\ - 523 \\ \hline 351 \\ \hline \end{array}$$

Answer: 351

932 – 457 becomes

$$\begin{array}{r} \phantom{0}^8 \phantom{0}^{12} \phantom{0}^1 \\ 932 \\ - 457 \\ \hline 475 \\ \hline \end{array}$$

Answer: 475

932 – 457 becomes

$$\begin{array}{r} \phantom{0}^1 \phantom{0}^1 \\ 932 \\ - 457 \\ \hline 475 \\ \hline \end{array}$$

Answer: 475

### Short multiplication

24 × 6 becomes

$$\begin{array}{r} 24 \\ \times 6 \\ \hline 144 \\ \hline \end{array}$$

Answer: 144

342 × 7 becomes

$$\begin{array}{r} 342 \\ \times 7 \\ \hline 2394 \\ \hline \end{array}$$

Answer: 2394

2741 × 6 becomes

$$\begin{array}{r} 2741 \\ \times 6 \\ \hline 16446 \\ \hline \end{array}$$

Answer: 16 446

### Long multiplication

24 × 16 becomes

$$\begin{array}{r} \phantom{2}^2 \\ 24 \\ \times 16 \\ \hline 240 \\ 144 \\ \hline 384 \end{array}$$

Answer: 384

124 × 26 becomes

$$\begin{array}{r} \phantom{1}^1 \phantom{2}^2 \\ 124 \\ \times \phantom{1}26 \\ \hline 2480 \\ \phantom{2}744 \\ \hline 3224 \\ \phantom{1}1 \phantom{1} \end{array}$$

Answer: 3224

124 × 26 becomes

$$\begin{array}{r} \phantom{1}^1 \phantom{2}^2 \\ 124 \\ \times \phantom{1}26 \\ \hline 744 \\ 2480 \\ \hline 3224 \\ \phantom{1}1 \phantom{1} \end{array}$$

Answer: 3224

### Short division

98 ÷ 7 becomes

$$\begin{array}{r} \phantom{1}^1 \phantom{4}^4 \\ 7 \overline{) 98} \\ \underline{7} \phantom{0} \\ 28 \\ \underline{28} \\ 0 \end{array}$$

Answer: 14

432 ÷ 5 becomes

$$\begin{array}{r} \phantom{8}^8 \phantom{6}^6 \text{ r } 2 \\ 5 \overline{) 432} \\ \underline{4} \phantom{0} \\ 32 \\ \underline{30} \\ 2 \end{array}$$

Answer: 86 remainder 2

496 ÷ 11 becomes

$$\begin{array}{r} \phantom{4}^4 \phantom{5}^5 \text{ r } 1 \\ 11 \overline{) 496} \\ \underline{44} \phantom{0} \\ 56 \\ \underline{55} \\ 1 \end{array}$$

Answer:  $45\frac{1}{11}$

### Long division

432 ÷ 15 becomes

$$\begin{array}{r} \phantom{2}^2 \phantom{8}^8 \text{ r } 12 \\ 15 \overline{) 432} \\ \underline{30} \phantom{0} \\ 132 \\ \underline{120} \\ 12 \end{array}$$

Answer: 28 remainder 12

432 ÷ 15 becomes

$$\begin{array}{r} \phantom{2}^2 \phantom{8}^8 \\ 15 \overline{) 432} \\ \underline{30} \phantom{0} \quad 15 \times 20 \\ \phantom{1}32 \\ \underline{120} \quad 15 \times 8 \\ \phantom{1}2 \end{array}$$

$$\frac{12}{15} = \frac{4}{5}$$

Answer:  $28\frac{4}{5}$

432 ÷ 15 becomes

$$\begin{array}{r} \phantom{2}^2 \phantom{8}^8 \cdot 8 \\ 15 \overline{) 432 \cdot 0} \\ \underline{30} \phantom{0} \\ \phantom{1}32 \\ \underline{120} \\ \phantom{1}20 \\ \underline{120} \\ \phantom{1}20 \\ \underline{120} \\ 0 \end{array}$$

Answer: 28.8

© Crown copyright 2013

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence.

Reference: DFE-00180-2013



Swale Academy Trust

# Maths calculation policy

## KEY STAGE 1

Updated September 2019

## KEY STAGE 1

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.

**Key language:** whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

**Addition and subtraction:** Children first learn to connect addition and subtraction with counting, but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations.

A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with  $15 - 3$  and  $15 - 13$ , they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods.

In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.

**Multiplication and division:** Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division.

They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation.





In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations.

Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.

**Fractions:** In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole.

In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.

## Year 1

	Concrete	Pictorial	Abstract
<b>Year 1 Addition</b>	<b>Counting and adding more</b> Children add one more person or object to a group to find one more.	<b>Counting and adding more</b> Children add one more cube or counter to a group to represent one more.    <i>One more than 4 is 5.</i>	<b>Counting and adding more</b> Use a number line to understand how to link counting on with finding one more.    <i>One more than 6 is 7. 7 is one more than 6.</i>  Learn to link counting on with adding more than one.   $5 + 3 = 8$
	<b>Understanding part-part-whole relationship</b> Sort people and objects into parts and understand the relationship with the whole.    <i>The parts are 2 and 4. The whole is 6.</i>	<b>Understanding part-part-whole relationship</b> Children draw to represent the parts and understand the relationship with the whole.    <i>The parts are 2 and 4. The whole is 6.</i>	<b>Understanding part-part-whole relationship</b> Use a part-whole model to represent the numbers.    $6 + 4 = 10$  $6 + 4 = 10$

**Knowing and finding number bonds within 10**

Break apart a group and put back together to find and form number bonds.




$$3 + 4 = 7$$




$$6 = 2 + 4$$

**Knowing and finding number bonds within 10**

Use five and ten frames to represent key number bonds.





$$5 = 4 + 1$$



$$10 = 7 + 3$$

**Knowing and finding number bonds within 10**

Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero.




$$4 + 0 = 4$$

$$3 + 1 = 4$$

**Understanding teen numbers as a complete 10 and some more**


Complete a group of 10 objects and count more.



*13 is 10 and 3 more.*

**Understanding teen numbers as a complete 10 and some more**

Use a ten frame to support understanding of a complete 10 for teen numbers.




**Understanding teen numbers as a complete 10 and some more.**

*1 ten and 3 ones equal 13.*


$$10 + 3 = 13$$

13 is 10 and 3 more.


**Adding by counting on**  
Children use knowledge of counting to 20 to find a total by counting on using people or objects.




**Adding by counting on**  
Children use counters to support and represent their counting on strategy.



**Adding by counting on**  
Children use number lines or number tracks to support their counting on strategy.




**Adding the 1s**  
Children use bead strings to recognise how to add the 1s to find the total efficiently.



$$2 + 3 = 5$$

$$12 + 3 = 15$$

**Adding the 1s**  
Children represent calculations using ten frames to add a teen and 1s.



$$2 + 3 = 5$$

$$12 + 3 = 15$$

**Adding the 1s**  
Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently.

$$3 + 5 = 8$$

$$\text{So, } 13 + 5 = 18$$



**Bridging the 10 using number bonds**  
Children use a bead string to complete a 10 and understand how this relates to the addition.



7 add 3 makes 10.  
So, 7 add 5 is 10 and 2 more.


**Bridging the 10 using number bonds**  
Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to 10.

**Bridging the 10 using number bonds**  
Use a part-whole model and a number line to support the calculation.




**Year 1 Subtraction**

**Counting back and taking away**  
Children arrange objects and remove to find how many are left.



1 less than 6 is 5.  
6 subtract 1 is 5.


**Counting back and taking away**  
Children draw and cross out or use counters to represent objects from a problem.



$$9 - \square = \square$$

There are  children left.

**Counting back and taking away**  
Children count back to take away and use a number line or number track to support the method.



$$9 - 3 = 6$$

**Finding a missing part, given a whole and a part**


Children separate a whole into parts and understand how one part can be found by subtraction.

**Finding a missing part, given a whole and a part**


Children represent a whole and a part and understand how to find the missing part by subtraction.

**Finding a missing part, given a whole and a part**


Children use a part-whole model to support the subtraction to find a missing part.



$$7 - 3 = ?$$




$$8 - 5 = ?$$



$$5 - 4 = \square$$

Children develop an understanding of the relationship between addition and subtraction facts in a part-whole model.



$$\begin{array}{l} \square + \square = \square \\ \square + \square = \square \\ \square - \square = \square \\ \square - \square = \square \end{array}$$

### Finding the difference


Arrange two groups so that the difference between the groups can be worked out.



8 is 2 more than 6.  
6 is 2 less than 8.  
The difference between 8 and 6 is 2.

### Finding the difference


Represent objects using sketches or counters to support finding the difference.







$5 - 4 = 1$   
The difference between 5 and 4 is 1.

### Finding the difference

Children understand 'find the difference' as subtraction.




$10 - 4 = 6$   
The difference between 10 and 6 is 4.


	<p><b>Subtraction within 20</b> Understand when and how to subtract 1s efficiently.</p> <p>Use a bead string to subtract 1s efficiently.</p>  $5 - 3 = 2$ $15 - 3 = 12$	<p><b>Subtraction within 20</b> Understand when and how to subtract 1s efficiently.</p>  $5 - 3 = 2$ $15 - 3 = 12$	<p><b>Subtraction within 20</b> Understand how to use knowledge of bonds within 10 to subtract efficiently.</p> $5 - 3 = 2$ $15 - 3 = 12$
	<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Subtract 12 by first subtracting the 10, then the remaining 2.</p>  <p><i>First subtract the 10, then take away 2.</i></p>	<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Use ten frames to represent the efficient method of subtracting 12.</p>  <p><i>First subtract the 10, then subtract 2.</i></p>	<p><b>Subtracting 10s and 1s</b> Use a part-whole model to support the calculation.</p>  $19 - 14$ $19 - 10 = 9$ $9 - 4 = 5$ <p>So, <math>19 - 14 = 5</math></p>
	<p><b>Subtraction bridging 10 using number bonds</b> For example: <math>12 - 7</math></p> <p>Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.</p>	<p><b>Subtraction bridging 10 using number bonds</b> Represent the use of bonds using ten frames.</p> 	<p><b>Subtraction bridging 10 using number bonds</b> Use a number line and a part-whole model to support the method.</p> $13 - 5$

	<p>7 is 2 and 5, so I take away the 2 and then the 5.</p>	<p>For <math>13 - 5</math>, I take away 3 to make 10, then take away 2 to make 8.</p>																																																			
<p><b>Year 1 Multiplication</b></p>	<p><b>Recognising and making equal groups</b> Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.</p> <p>A  B  C </p>	<p><b>Recognising and making equal groups</b> Children draw and represent equal and unequal groups.</p> <p>A </p> <p>B </p>	<p><b>Describe equal groups using words</b></p> <p>Three equal groups of 4. Four equal groups of 3.</p>																																																		
	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b></p> <p>There are 5 pens in each pack ... 5...10...15...20...25...30...35...40 ...</p>	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b> 100 squares and ten frames support counting in 2s, 5s and 10s.</p> <table border="1" data-bbox="1055 1098 1323 1235"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b> Use a number line to support repeated addition through counting in 2s, 5s and 10s.</p>
1	2	3	4	5	6	7	8	9	10																																												
11	12	13	14	15	16	17	18	19	20																																												
21	22	23	24	25	26	27	28	29	30																																												
31	32	33	34	35	36	37	38	39	40																																												
41	42	43	44	45	46	47	48	49	50																																												
<p><b>Year 1 Division</b></p>	<p><b>Grouping</b> Learn to make equal groups from a whole and find how many equal groups of a certain size can be made.</p>	<p><b>Grouping</b> Represent a whole and work out how many equal groups.</p>	<p><b>Grouping</b> Children may relate this to counting back in steps of 2, 5 or 10.</p>																																																		


Sort a whole set people and objects into equal groups.



*There are 10 children altogether.  
There are 2 in each group.  
There are 5 groups.*




*There are 10 in total.  
There are 5 in each group.  
There are 2 groups.*




**Sharing**

Share a set of objects into equal parts and work out how many are in each part.



**Sharing**








Sketch or draw to represent sharing into equal parts. This may be related to fractions.








**Sharing**

*10 shared into 2 equal groups gives 5 in each group.*







Year 2

	Concrete	Pictorial	Abstract																				
<b>Year 2 Addition</b>																							
<b>Adding a 1-digit number to a 2-digit number not bridging a 10</b>	<p>Add the 1s to find the total. Use known bonds within 10.</p>  <p><i>41 is 4 tens and 1 one. 41 add 6 ones is 4 tens and 7 ones.</i></p> <p>This can also be done in a place value grid.</p> <table border="1" data-bbox="448 845 716 1117"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	T	O					<p>Add the 1s.</p>  <p><i>34 is 3 tens and 4 ones. 4 ones and 5 ones are 9 ones. The total is 3 tens and 9 ones.</i></p> <table border="1" data-bbox="1052 750 1332 1037"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	T	O					<p>Add the 1s.</p> <p>Understand the link between counting on and using known number facts. Children should be encouraged to use known number bonds to improve efficiency and accuracy.</p>  <p>This can be represented horizontally or vertically.</p> $34 + 5 = 39$ <p>or</p> <table border="1" data-bbox="1646 1029 1825 1244"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>3</td> <td>4</td> </tr> <tr> <td>+</td> <td>5</td> </tr> <tr> <td></td> <td>9</td> </tr> </table>	T	O	3	4	+	5		9
T	O																						
																							
																							
T	O																						
																							
																							
T	O																						
3	4																						
+	5																						
	9																						
<b>Adding a 1-digit number</b>	Exchange 10 ones for 1 ten.	Exchange 10 ones for 1 ten.	Exchange 10 ones for 1 ten.																				






<p>to a 2-digit number using exchange</p>			
<p>Adding a multiple of 10 to a 2-digit number using columns</p>	<p>Add the 10s using a place value grid to support.</p> <p><i>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</i></p>	<p>Add the 10s using a place value grid to support.</p> <p><i>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</i></p>	<p>Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value.</p> <p><i>1 + 3 = 4 1 ten + 3 tens = 4 tens 16 + 30 = 46</i></p>
<p>Adding two 2-digit numbers</p>	<p>Add the 10s and 1s separately.</p>	<p>Add the 10s and 1s separately. Use a part-whole model to support.</p>	<p>Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations.</p>



	 <p> <math>5 + 3 = 8</math>  <i>There are 8 ones in total.</i> </p> <p> <math>3 + 2 = 5</math>  <i>There are 5 tens in total.</i> </p> <p> <math>35 + 23 = 58</math> </p>	<p> <math>32 + 11</math> </p>  <p> <math>11 = 10 + 1</math>  <math>32 + 10 = 42</math>  <math>42 + 1 = 43</math> </p> <p> <math>32 + 11 = 43</math> </p>	 <p> <math>17 + 25</math> </p>
<p><b>Adding two 2-digit numbers using a place value grid</b></p>	<p>Add the 1s. Then add the 10s.</p> 		<p>Add the 1s. Then add the 10s.</p> 
<p><b>Adding two 2-digit numbers with</b></p>	<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p>		<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p>

<p><b>exchange</b></p>			$\begin{array}{r l} \text{T} & \text{O} \\ 3 & 6 \\ + 2 & 9 \\ \hline & 5 \end{array}$ $\begin{array}{r l} \text{T} & \text{O} \\ 3 & 6 \\ + 2 & 9 \\ \hline 6 & 5 \end{array}$																													
<p><b>Year 2 Subtraction</b></p>																																
<p><b>Subtracting a single-digit number</b></p>	<p>Subtract the 1s. This may be done in or out of a place value grid.</p> <table border="1" data-bbox="454 1182 705 1334"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>10</td> <td>0</td> </tr> <tr> <td>10</td> <td>0</td> </tr> <tr> <td>10</td> <td>0</td> </tr> </table>	T	O	10	0	10	0	10	0	<p>Subtract the 1s. This may be done in or out of a place value grid.</p> <table border="1" data-bbox="1057 1214 1314 1369"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>30</td> <td>9</td> </tr> <tr> <td>30</td> <td>6</td> </tr> </table>	T	O	30	9	30	6	<p>Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds.</p> <table border="1" data-bbox="1653 1214 1921 1414"> <tr> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td>3</td> <td>9</td> <td></td> </tr> <tr> <td>-</td> <td>3</td> <td></td> </tr> <tr> <td>3</td> <td>6</td> <td><math>9 - 3 = 6</math></td> </tr> <tr> <td></td> <td></td> <td><math>39 - 3 = 36</math></td> </tr> </table>	T	O		3	9		-	3		3	6	$9 - 3 = 6$			$39 - 3 = 36$
T	O																															
10	0																															
10	0																															
10	0																															
T	O																															
30	9																															
30	6																															
T	O																															
3	9																															
-	3																															
3	6	$9 - 3 = 6$																														
		$39 - 3 = 36$																														

<p><b>Subtracting a single-digit number using exchange</b></p>	<p>Exchange 1 ten for 10 ones. This may be done in or out of a place value grid.</p> 	<p>Exchange 1 ten for 10 ones.</p> 	<p>Exchange 1 ten for 10 ones.</p>  <p><math>25 - 7 = 18</math></p>
<p><b>Subtracting a 2-digit number using place value and columns</b></p>	<p>Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.</p>  <p><math>38 - 16 = 22</math></p>	<p>Subtract the 1s. Then subtract the 10s.</p> 	<p>Using column subtraction, subtract the 1s. Then subtract the 10s.</p> 
<p><b>Subtracting a 2-digit number with</b></p>		<p>Exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p>	<p>Using column subtraction, exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p>

<p><b>exchange</b></p>			$\begin{array}{r} \text{T O} \\ 4 \ 5 \\ - 2 \ 7 \\ \hline \end{array}$ $\begin{array}{r} \text{T O} \\ \cancel{3} \ 15 \\ - 2 \ 7 \\ \hline \end{array}$ $\begin{array}{r} \text{T O} \\ \cancel{3} \ 15 \\ - 2 \ 7 \\ \hline 8 \end{array}$ $\begin{array}{r} \text{T O} \\ \cancel{3} \ 15 \\ - 2 \ 7 \\ \hline 1 \ 8 \end{array}$
<p><b>Year 2 Multiplication</b></p>			
<p><b>Equal groups and repeated addition</b></p>	<p>Recognise equal groups and write as repeated addition and as multiplication.</p> <p><i>3 groups of 5 chairs 15 chairs altogether</i></p>	<p>Recognise equal groups using standard objects such as counters and write as repeated addition and multiplication.</p> <p><i>3 groups of 5 15 in total</i></p>	<p>Use a number line and write as repeated addition and as multiplication.</p> <p><math>5 + 5 + 5 = 15</math> <math>3 \times 5 = 15</math></p>

<p><b>Using arrays to represent multiplication and support understanding</b></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p>4 groups of 5</p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p>4 groups of 5 ... 5 groups of 5</p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><math>5 \times 5 = 25</math></p>
<p><b>Year 2 Division</b></p>			
<p><b>Sharing equally</b></p>	<p>Start with a whole and share into equal parts, one at a time.</p>  <p>12 shared equally between 2. They get 6 each.</p> <p>Start to understand how this also relates to grouping. To share equally between 3 people, take a group of 3 and give 1 to each person. Keep</p>	<p>Represent the objects shared into equal parts using a bar model.</p>  <p>20 shared into 5 equal parts. There are 4 in each part.</p>	<p>Use a bar model to support understanding of the division.</p>  <p><math>18 \div 2 = 9</math></p>

	<p>going until all the objects have been shared</p>  <p>They get 5  each.</p> <p><i>15 shared equally between 3. They get 5 each.</i></p>		
<p><b>Grouping equally</b></p>	<p>Understand how to make equal groups from a whole.</p>  <p><i>8 divided into 4 equal groups. There are 2 in each group.</i></p>	<p>Understand the relationship between grouping and the division statements.</p> <p><math>12 \div 3 = 4</math></p>  <p><math>12 \div 4 = 3</math></p>  <p><math>12 \div 6 = 2</math></p>  <p><math>12 \div 2 = 6</math></p> 	<p>Understand how to relate division by grouping to repeated subtraction.</p>  <p>There are 4 groups now.</p> <p><i>12 divided into groups of 3. <math>12 \div 3 = 4</math></i></p> <p><i>There are 4 groups.</i></p>



Swale Academy Trust

# Maths calculation policy

## LOWER KEY STAGE 2

Updated September 2019

## KEY STAGE 2

In Years 3 and 4, children develop the basis of written methods by building their skills alongside a deep understanding of place value. They should use known addition/subtraction and multiplication/division facts to calculate efficiently and accurately, rather than relying on counting. Children use place value equipment to support their understanding, but not as a substitute for thinking.

**Key language:** partition, place value, tens, hundreds, thousands, column method, whole, part, equal groups, sharing, grouping, bar model

**Addition and subtraction:** In Year 3 especially, the column methods are built up gradually. Children will develop their understanding of how each stage of the calculation, including any exchanges, relates to place value. The example calculations chosen to introduce the stages of each method may often be more suited to a mental method. However, the examples and the progression of the steps have been chosen to help children develop their fluency in the process, alongside a deep understanding of the concepts and the numbers involved, so that they can apply these skills accurately and efficiently to later calculations. The class should be encouraged to compare mental and written methods for specific calculations, and children should be encouraged at every stage to make choices about which methods to apply.

In Year 4, the steps are shown without such fine detail, although children should continue to build their understanding with a secure basis in place value. In subtraction, children will need to develop their understanding of exchange as they may need to exchange across one or two columns.

By the end of Year 4, children should have developed fluency in column methods alongside a deep understanding, which will allow them to progress confidently in upper Key Stage 2.

**Multiplication and division:** Children build a solid grounding in times-tables, understanding the multiplication and division facts in tandem. As such, they should be as confident knowing that 35 divided by 7 is 5 as knowing that 5 times 7 is 35.

Children develop key skills to support multiplication methods: unitising, commutativity, and how to use partitioning effectively.

Unitising allows children to use known facts to multiply and divide multiples of 10 and 100 efficiently. Commutativity gives children flexibility in applying known facts to calculations and problem solving. An understanding of partitioning allows children to extend their skills to multiplying and dividing 2- and 3-digit numbers by a single digit.

Children develop column methods to support multiplications in these cases.

For successful division, children will need to make choices about how to partition. For example, to divide 423 by 3, it is effective to partition 423 into 300, 120 and 3, as these can be divided by 3 using known facts.






Children will also need to understand the concept of remainder, in terms of a given calculation and in terms of the context of the problem.



**Fractions:** Children develop the key concept of equivalent fractions, and link this with multiplying and dividing the numerators and denominators, as well as exploring the visual concept through fractions of shapes. Children learn how to find a fraction of an amount, and develop this with the aid of a bar model and other representations alongside.




in Year 3, children develop an understanding of how to add and subtract fractions with the same denominator and find complements to the whole. This is developed alongside an understanding of fractions as numbers, including fractions greater than 1. In Year 4, children begin to work with fractions greater than 1.

Decimals are introduced, as tenths in Year 3 and then as hundredths in Year 4. Children develop an understanding of decimals in terms of the relationship with fractions, with dividing by 10 and 100, and also with place value.

Year 3

	Concrete	Pictorial	Abstract												
<b>Year 3 Addition</b>															
<b>Adding 100s</b>	<p>Use known facts and unitising to add multiples of 100.</p>  <p><math>3 + 2 = 5</math>  <i>3 hundreds + 2 hundreds = 5 hundreds</i>  <math>300 + 200 = 500</math></p>	<p>Use known facts and unitising to add multiples of 100.</p>  <p><math>3 + 4 = 7</math>  <i>3 hundreds + 4 hundreds = 7 hundreds</i>  <math>300 + 400 = 700</math></p>	<p>Use known facts and unitising to add multiples of 100.</p> <p>Represent the addition on a number line.</p> <p>Use a part-whole model to support unitising.</p>  <p><math>3 + 2 = 5</math>  <math>300 + 200 = 500</math></p>												
<b>3-digit number + 1s, no exchange or bridging</b>	<p>Use number bonds to add the 1s.</p>  <p><math>214 + 4 = ?</math></p> <p><i>Now there are 4 + 4 ones in total.</i></p>	<p>Use number bonds to add the 1s.</p> <table border="1" data-bbox="936 1061 1243 1308"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>4</td> <td>9</td> </tr> </tbody> </table> <p><math>245 + 4</math>  <math>5 + 4 = 9</math></p> 	H	T	O							2	4	9	<p>Understand the link with counting on.</p> <p><math>45 + 4</math></p>  <p>Use number bonds to add the 1s and understand that this is more efficient and less prone to error.</p>
H	T	O													
2	4	9													

	$4 + 4 = 8$ $214 + 4 = 218$	$245 + 4 = 249$	$245 + 4 = ?$ <i>I will add the 1s.</i> $5 + 4 = 9$ So, $245 + 4 = 249$
<b>3-digit number + 1s with exchange</b>	<p>Understand that when the 1s sum to 10 or more, this requires an exchange of 10 ones for 1 ten.</p> <p>Children should explore this using unitised objects or physical apparatus.</p>	<p>Exchange 10 ones for 1 ten where needed. Use a place value grid to support the understanding.</p> 	<p>Understand how to bridge by partitioning to the 1s to make the next 10.</p>  <p><math>135 + 7 = ?</math>  <math>135 + 5 + 2 = 142</math></p> <p>Ensure that children understand how to add 1s bridging a 100.</p> <p><math>198 + 5 = ?</math>  <math>198 + 2 + 3 = 203</math></p>




		<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="width: 33%;">H</th> <th style="width: 33%;">T</th> <th style="width: 33%;">O</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"></td> <td style="text-align: center;"></td> <td style="text-align: center;"></td> </tr> </tbody> </table> <p style="text-align: center;"><math>35 + 7 = 142</math></p>	H	T	O				
H	T	O							
<p><b>3-digit number + 10s, no exchange</b></p>	<p>Calculate mentally by forming the number bond for the 10s.</p>  <p style="text-align: center;"><math>34 + 50</math></p> <p><i>There are 3 tens and 5 tens altogether.</i></p> <p><math>+ 5 = 8</math></p> <p><i>7 total there are 8 tens.</i></p> <p><math>34 + 50 = 284</math></p>	<p>Calculate mentally by forming the number bond for the 10s.</p> <p><math>51 + 30 = ?</math></p>  <p><math>5 \text{ tens} + 3 \text{ tens} = 8 \text{ tens}</math></p> <p><math>351 + 30 = 381</math></p>	<p>Calculate mentally by forming the number bond for the 10s.</p> <p><math>753 + 40</math></p> <p><i>I know that <math>5 + 4 = 9</math></i></p> <p>So, <math>50 + 40 = 90</math></p> <p><math>753 + 40 = 793</math></p>						
<p><b>3-digit number + 10s, with exchange</b></p>	<p>Understand the exchange of 10 tens for 1 hundred.</p> 	<p>Add by exchanging 10 tens for 1 hundred.</p> <p><math>84 + 20 = ?</math></p>	<p>Understand how the addition relates to counting on in 10s across 100.</p>  <p><math>184 + 20 = ?</math></p> <p><i>I can count in 10s ... 194 ... 204</i></p>						

		<p><math>184 + 20 = 204</math></p>	<p><math>184 + 20 = 204</math></p> <p>Use number bonds within 20 to support efficient mental calculations.</p> <p><math>385 + 50</math>  <i>There are 8 tens and 5 tens.            That is 13 tens.</i>  <math>385 + 50 = 300 + 130 + 5</math>  <math>385 + 50 = 435</math></p>
<p><b>3-digit number + 2-digit number</b></p>	<p>Use place value equipment to make and combine groups to model addition.</p>	<p>Use a place value grid to organise thinking and adding of 1s, then 10s.</p>	<p>Use the vertical column method to represent the addition. Children must understand how this relates to place value at each stage of the calculation.</p>
<p><b>3-digit number + 2-digit number, exchange required</b></p>	<p>Use place value equipment to model addition and understand where exchange is required.</p> <p><i>Use place value counters to represent <math>154 + 72</math>.</i></p> <p><i>Use this to decide if any exchange is required.</i></p> <p><i>There are 5 tens and 7 tens. That is 12 tens so I will exchange.</i></p>	<p>Represent the required exchange on a place value grid using equipment.</p> <p><math>275 + 16 = ?</math></p>	<p>Use a column method with exchange. Children must understand how the method relates to place value at each stage of the calculation.</p>

		<p style="text-align: center;"><math>275 + 16 = 291</math></p> <p>Note: In this example, a mental method may be more efficient. The numbers for the example calculation have been chosen to allow children to visualise the concept and see how the method relates to place value. Children should be encouraged at every stage to select methods that are accurate and efficient.</p>	<p style="text-align: center;"><math>275 + 16 = 291</math></p>
<b>3-digit number + 3-digit number, no exchange</b>	Use place value equipment to make a representation of a calculation. This may or may not be structured in a place value grid.  <i>26 + 541 is represented as:</i>	Represent the place value grid with equipment to model the stages of column addition.	Use a column method to solve efficiently, using known bonds. Children must understand how this relates to place value at every stage of the calculation.

<b>3-digit number + 3-digit number, exchange required</b>	<p>Use place value equipment to enact the exchange required.</p> <p><i>There are 13 ones. I will exchange 10 ones for 1 ten.</i></p>	<p>Model the stages of column addition using place value equipment on a place value grid.</p>	<p>Use column addition, ensuring understanding of place value at every stage of the calculation.</p> $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 343 \end{array}$ $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 43 \\ \text{1} \end{array}$ $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 343 \\   \end{array}$ <p><math>126 + 217 = 343</math>            Note: Children should also study examples where exchange is required in more than one column, for example <math>185 + 318 = ?</math></p>
<b>Year 3 Subtraction</b>			
<b>Subtracting 100s</b>	<p>Use known facts and unitising to subtract multiples of 100.</p>	<p>Use known facts and unitising to subtract multiples of 100.</p>	<p>Understand the link with counting back in 100s.</p>

	<p>5 - 2 = 3 500 - 200 = 300</p>	<p>4 - 2 = 2 400 - 200 = 200</p>	<p>400 - 200 = 200</p> <p>Use known facts and unitising as efficient and accurate methods. <i>know that 7 - 4 = 3. Therefore, I know that 700 - 400 = 300.</i></p>																		
<p><b>3-digit number – 1s, no exchange</b></p>	<p>Use number bonds to subtract the 1s.</p> <p>214 - 3 = ?</p> <p>4 - 3 = 1 214 - 3 = 211</p>	<p>Use number bonds to subtract the 1s.</p> <table border="1" data-bbox="940 683 1249 861"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>1</td> <td>9</td> </tr> </tbody> </table> <p>319 - 4 = ?</p> <table border="1" data-bbox="940 986 1249 1165"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>1</td> <td>9</td> </tr> </tbody> </table> <p>9 - 4 = 5 319 - 4 = 315</p>	H	T	O				3	1	9	H	T	O				3	1	9	<p>Understand the link with counting back using a number line.</p> <p>Use known number bonds to calculate mentally.</p> <p>76 - 4 = ?</p> <p>76 - 4 = 72 76 - 4 = 72</p>
H	T	O																			
3	1	9																			
H	T	O																			
3	1	9																			
<p><b>3-digit number –</b></p>	<p>Understand why an exchange is necessary</p>	<p>Represent the required exchange on a</p>	<p>Calculate mentally by using known bonds.</p>																		


<p><b>1s, exchange or bridging required</b></p>	<p>by exploring why 1 ten must be exchanged. Use place value equipment.</p>	<p>place value grid.</p> <p><math>51 - 6 = ?</math></p> 	<p><math>51 - 6 = ?</math></p> <p><math>51 - 1 - 5 = 145</math></p>
<p><b>3-digit number – 10s, no exchange</b></p>	<p>Subtract the 10s using known bonds.</p>  <p><math>381 - 10 = ?</math></p> <p><i>8 tens with 1 removed is 7 tens.</i></p> <p><math>381 - 10 = 371</math></p>	<p>Subtract the 10s using known bonds.</p>  <p><i>8 tens – 1 ten = 7 tens</i></p> <p><math>381 - 10 = 371</math></p>	<p>Use known bonds to subtract the 10s mentally.</p> <p><math>372 - 50 = ?</math></p> <p><math>70 - 50 = 20</math></p> <p><i>So, <math>372 - 50 = 322</math></i></p>
<p><b>3-digit number – 10s, exchange or bridging</b></p>	<p>Use equipment to understand the exchange of 1 hundred for 10 tens.</p>	<p>Represent the exchange on a place value grid using equipment.</p> <p><math>10 - 20 = ?</math></p>	<p>Understand the link with counting back on a number line.</p> <p>Use flexible partitioning to support the calculation.</p>

<p>required</p>		<table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 33%;">H</td> <td style="width: 33%;">T</td> <td style="width: 33%;">O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <p>need to exchange 1 hundred for 10 tens, to help subtract 2 tens.</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 33%;">H</td> <td style="width: 33%;">T</td> <td style="width: 33%;">O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <p><math>210 - 20 = 190</math></p>	H	T	O				H	T	O				<p><math>235 - 60 = ?</math></p> <p><math>235 = 100 + 130 + 5</math></p> <p><math>235 - 60 = 100 + 70 + 5</math> <math>= 175</math></p>																					
H	T	O																																		
H	T	O																																		
<p>3-digit number – up to 3-digit number</p>	<p>Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away.</p>	<p>Represent the calculation on a place value grid.</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 33%;">H</td> <td style="width: 33%;">T</td> <td style="width: 33%;">O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 33%;">H</td> <td style="width: 33%;">T</td> <td style="width: 33%;">O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 33%;">H</td> <td style="width: 33%;">T</td> <td style="width: 33%;">O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>	H	T	O				H	T	O				H	T	O				<p>Use column subtraction to calculate accurately and efficiently.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: right;">H T O</td></tr> <tr><td style="text-align: right;">9 9 9</td></tr> <tr><td style="text-align: right;">- 3 5 2</td></tr> <tr><td style="text-align: right;">-----</td></tr> <tr><td style="text-align: right;">7</td></tr> </table> <table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: right;">H T O</td></tr> <tr><td style="text-align: right;">9 9 9</td></tr> <tr><td style="text-align: right;">- 3 5 2</td></tr> <tr><td style="text-align: right;">-----</td></tr> <tr><td style="text-align: right;">4 7</td></tr> </table> <table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: right;">H T O</td></tr> <tr><td style="text-align: right;">9 9 9</td></tr> <tr><td style="text-align: right;">- 3 5 2</td></tr> <tr><td style="text-align: right;">-----</td></tr> <tr><td style="text-align: right;">6 4 7</td></tr> </table>	H T O	9 9 9	- 3 5 2	-----	7	H T O	9 9 9	- 3 5 2	-----	4 7	H T O	9 9 9	- 3 5 2	-----	6 4 7
H	T	O																																		
H	T	O																																		
H	T	O																																		
H T O																																				
9 9 9																																				
- 3 5 2																																				
-----																																				
7																																				
H T O																																				
9 9 9																																				
- 3 5 2																																				
-----																																				
4 7																																				
H T O																																				
9 9 9																																				
- 3 5 2																																				
-----																																				
6 4 7																																				
<p>3-digit number – up to 3-digit</p>	<p>Use equipment to enact the exchange of 1 hundred for 10 tens, and 1 ten for 10 ones.</p>	<p>Model the required exchange on a place value grid.</p>	<p>Use column subtraction to work accurately and efficiently.</p>																																	

<p>number, exchange required</p>		<p><math>75 - 38 = ?</math></p> <p><i>I need to subtract 8 ones, so I will exchange a ten for 10 ones.</i></p> <table border="1" data-bbox="947 304 1245 443"> <tr><th>H</th><th>T</th><th>O</th></tr> <tr><td></td><td></td><td></td></tr> </table> <table border="1" data-bbox="947 477 1245 616"> <tr><th>H</th><th>T</th><th>O</th></tr> <tr><td></td><td></td><td></td></tr> </table> <table border="1" data-bbox="947 633 1245 772"> <tr><th>H</th><th>T</th><th>O</th></tr> <tr><td></td><td></td><td></td></tr> </table>	H	T	O				H	T	O				H	T	O				<table border="1" data-bbox="1541 177 1637 288"> <tr><th>H</th><th>T</th><th>O</th></tr> <tr><td>1</td><td>5</td><td>15</td></tr> <tr><td>-</td><td>3</td><td>8</td></tr> <tr><td>1</td><td>3</td><td>7</td></tr> </table> <p><math>175 - 38 = 137</math></p> <p>If the subtraction is a 3-digit number subtract a 2-digit number, children should understand how the recording relates to the place value, and so how to line up the digits correctly. Children should also understand how to exchange in calculations where there is a zero in the 10s column.</p> <table border="1" data-bbox="1547 644 1664 767"> <tr><th>H</th><th>T</th><th>O</th></tr> <tr><td>5</td><td>0</td><td>6</td></tr> <tr><td>-</td><td>3</td><td>2</td></tr> <tr><td colspan="3">_____</td></tr> </table>	H	T	O	1	5	15	-	3	8	1	3	7	H	T	O	5	0	6	-	3	2	_____		
H	T	O																																											
H	T	O																																											
H	T	O																																											
H	T	O																																											
1	5	15																																											
-	3	8																																											
1	3	7																																											
H	T	O																																											
5	0	6																																											
-	3	2																																											
_____																																													
<p>Year 3 Multiplication</p>																																													
<p>Understanding equal grouping and repeated addition</p>	<p>Children continue to build understanding of equal groups and the relationship with repeated addition. They recognise both examples and non-examples using objects.</p> <p>Children recognise that arrays can be used to model commutative multiplications.</p>	<p>Children recognise that arrays demonstrate commutativity.</p> <p><i>This is 3 groups of 4.</i> <i>This is 4 groups of 3.</i></p>	<p>Children understand the link between repeated addition and multiplication.</p> <p><i>groups of 3 is 24.</i></p> <p><math>+ 3 + 3 + 3 + 3 + 3 + 3 + 3 = 24</math> <math>\times 3 = 24</math></p> <p>A bar model may represent multiplications as equal groups.</p>																																										



can see 3 groups of 8.  
can see 8 groups of 3.



$$6 \times 4 = 24$$


**Multiplying a 2-digit number by a 1-digit number, expanded column method**

Use place value equipment to model how 10 ones are exchanged for a 10 in some multiplications.

$$3 \times 24 = ?$$

$$3 \times 20 = 60$$

$$3 \times 4 = 12$$





$$3 \times 24 = 60 + 12$$

$$3 \times 24 = 70 + 2$$

$$3 \times 24 = 72$$

Understand that multiplications may require an exchange of 1s for 10s, and also 10s for 100s.


$$4 \times 23 = ?$$




$$4 \times 23 = 92$$



Children may write calculations in expanded column form, but must understand the link with place value and exchange.

Children are encouraged to write the expanded parts of the calculation separately.



$$\times 28 = ?$$



		<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="width: 50px; text-align: center;">T</th> <th style="width: 50px; text-align: center;">O</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">●●</td> <td style="text-align: center;">●●●</td> </tr> </tbody> </table> <p style="text-align: center;"> <math>5 \times 23 = ?</math>  <math>5 \times 3 = 15</math>  <math>5 \times 20 = 100</math>  <math>5 \times 23 = 115</math> </p>	T	O	●●	●●●	●●	●●●	●●	●●●	●●	●●●	●●	●●●	
T	O														
●●	●●●														
●●	●●●														
●●	●●●														
●●	●●●														
●●	●●●														
<b>Year 3 Division</b>															
<b>Using times-tables knowledge to divide</b>	<p>Use knowledge of known times-tables to calculate divisions.</p>  <p><i>4 divided into groups of 8. Here are 3 groups of 8.</i></p>	<p>Use knowledge of known times-tables to calculate divisions.</p>  <p><math>48 \div 4 = 12</math></p> <p><i>8 divided into groups of 4.</i></p>	<p>Use knowledge of known times-tables to calculate divisions.</p> <p><i>I need to work out 30 shared between 5.</i></p> <p><i>I know that <math>6 \times 5 = 30</math> so I know that <math>30 \div 5 = 6</math>.</i></p> <p>A bar model may represent the relationship between sharing and grouping.</p>  <p><math>24 \div 4 = 6</math> <math>24 \div 6 = 4</math></p> <p>Children understand how division is related to both repeated subtraction and repeated addition.</p>												





		<p>here are 12 groups.</p> $\times 12 = 48$ $8 \div 4 = 12$	<p><math>24 \div 8 = 3</math></p> <p><math>32 \div 8 = 4</math></p>
--	--	---	---

**Year 4**

	<b>Concrete</b>	<b>Pictorial</b>	<b>Abstract</b>												
<b>Year 4 Addition</b>															
<b>Column addition with exchange</b>	<p>Use place value equipment on a place value grid to organise thinking.</p> <p>Ensure that children understand how the columns relate to place value and what to do if the numbers are not all 4-digit numbers.</p> <p><i>Use equipment to show <math>1,905 + 775</math>.</i></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">●</td> <td style="text-align: center;">●●●●●</td> <td></td> <td style="text-align: center;">●●●●●</td> </tr> <tr> <td></td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> </tr> </tbody> </table> <p><i>Why have only three columns been used for the second row? Why is the Thousands box</i></p>	Th	H	T	O	●	●●●●●		●●●●●		●●●●●	●●●●●	●●●●●	<p>Use place value equipment to model required exchanges.</p>	<p>Use a column method to add, including exchanges.</p>
Th	H	T	O												
●	●●●●●		●●●●●												
	●●●●●	●●●●●	●●●●●												

empty?

Which columns will total 10 or more?



Include examples that exchange in more than one column.

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
			1

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
		9	1

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
	7	9	1

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
5	7	9	1


Include examples that exchange in more than one column.

**Year 4**  
**Subtraction**


**Column**      Understand why exchange of a 1,000 for      Represent place value equipment on a      Use column subtraction, with understanding

**subtraction with exchange**


100s, a 100 for 10s, or a 10 for 1s may be necessary.



place value grid to subtract, including exchanges where needed.




of the place value of any exchange required.



**Column subtraction with exchange across more than one column**

Understand why two exchanges may be necessary.


$2,502 - 243 = ?$



*I need to exchange a 10 for some 1s, but*





Make exchanges across more than one column where there is a zero as a place holder.



$2,502 - 243 = ?$



Make exchanges across more than one column where there is a zero as a place holder.

$2,502 - 243 = ?$

	<p><i>there are not any 10s here.</i></p> 		<table style="margin-bottom: 10px;"> <tr><td>Th</td><td>H</td><td>T</td><td>O</td></tr> <tr><td>2</td><td><del>4</del></td><td>0</td><td>2</td></tr> <tr><td>-</td><td>2</td><td>4</td><td>3</td></tr> <tr><td colspan="4"><hr/></td></tr> </table> <table style="margin-bottom: 10px;"> <tr><td>Th</td><td>H</td><td>T</td><td>O</td></tr> <tr><td>2</td><td><del>4</del></td><td>9</td><td><del>0</del> 2</td></tr> <tr><td>-</td><td>2</td><td>4</td><td>3</td></tr> <tr><td colspan="4"><hr/></td></tr> </table> <table> <tr><td>Th</td><td>H</td><td>T</td><td>O</td></tr> <tr><td>2</td><td><del>4</del></td><td>9</td><td><del>0</del> 2</td></tr> <tr><td>-</td><td>2</td><td>4</td><td>3</td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td>2</td><td>2</td><td>5</td><td>9</td></tr> </table>	Th	H	T	O	2	<del>4</del>	0	2	-	2	4	3	<hr/>				Th	H	T	O	2	<del>4</del>	9	<del>0</del> 2	-	2	4	3	<hr/>				Th	H	T	O	2	<del>4</del>	9	<del>0</del> 2	-	2	4	3	<hr/>				2	2	5	9
Th	H	T	O																																																				
2	<del>4</del>	0	2																																																				
-	2	4	3																																																				
<hr/>																																																							
Th	H	T	O																																																				
2	<del>4</del>	9	<del>0</del> 2																																																				
-	2	4	3																																																				
<hr/>																																																							
Th	H	T	O																																																				
2	<del>4</del>	9	<del>0</del> 2																																																				
-	2	4	3																																																				
<hr/>																																																							
2	2	5	9																																																				
<p><b>Year 4 Multiplication</b></p>																																																							
<p><b>Column multiplication for 2- and 3-digit numbers multiplied by a single digit</b></p>	<p>Use place value equipment to make multiplications.</p> <p><i>Make 4 × 136 using equipment.</i></p>  <p><i>I can work out how many 1s, 10s and 100s.</i></p> <p><i>There are 4 × 6 ones... 24 ones</i>  <i>There are 4 × 3 tens ... 12 tens</i>  <i>There are 4 × 1 hundreds ... 4 hundreds</i></p> <p><math>24 + 120 + 400 = 544</math></p>	<p>Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.</p> 	<p>Use the formal column method for up to 3-digit numbers multiplied by a single digit.</p> $\begin{array}{r} 312 \\ \times 3 \\ \hline 936 \end{array}$ <p>Understand how the expanded column method is related to the formal column method and understand how any exchanges are related to place value at each stage of the calculation.</p>																																																				

			$\begin{array}{r} 23 \\ \times 5 \\ \hline 115 \\ \hline 115 \end{array}$ $\begin{array}{r} 23 \\ \times 5 \\ \hline 115 \\ \hline 115 \end{array}$
<b>Year 4 Division</b>			
<b>Understanding the relationship between multiplication and division, including times-tables</b>	Use objects to explore families of multiplication and division facts.    $4 \times 6 = 24$ $24$ is 6 groups of 4. $24$ is 4 groups of 6.  $24$ divided by 6 is 4. $24$ divided by 4 is 6.	Represent divisions using an array.    $28 \div 7 = 4$	Understand families of related multiplication and division facts.  <i>know that <math>5 \times 7 = 35</math></i>  <i>so I know all these facts:</i>  $\times 7 = 35$ $\times 5 = 35$ $5 = 5 \times 7$ $5 = 7 \times 5$ $5 \div 5 = 7$ $5 \div 7 = 5$ $= 35 \div 5$ $= 35 \div 7$



Swale Academies Trust



# Maths calculation policy UPPER KEY STAGE 2

Updated September 2019

## KEY STAGE 2

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.

**Key language:** decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

**Addition and subtraction:** Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage.

Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods.

Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.

**Multiplication and division:** Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers.

Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000.

Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions.

Multiplication and division of decimals are also introduced and refined in Year 6.

**Fractions:** Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them.


Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic.

Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.




Year 5

	Concrete	Pictorial	Abstract																																																																																																									
<b>Year 5 Addition</b>																																																																																																												
<b>Column addition with whole numbers</b>	Use place value equipment to represent additions.  <i>Add a row of counters onto the place value grid to show <math>15,735 + 4,012</math>.</i>  <table border="1" style="width: 100%; text-align: center;"> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●● ●●</td> <td>●●●●</td> <td>●●●●●</td> </tr> </table>	TTh	Th	H	T	O	●	●●●●●	●●●●● ●●	●●●●	●●●●●	Represent additions, using place value equipment on a place value grid alongside written methods.  <table border="1" style="width: 100%; text-align: center;"> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> <tr> <td>●●</td> <td></td> <td>●</td> <td>●●●●●●●●</td> <td>●●●●</td> </tr> <tr> <td>●</td> <td>●●●●●●●●</td> <td>●</td> <td>●●●●●●●● ●●</td> <td>●●●●●●●●</td> </tr> </table> <i>I need to exchange 10 tens for a 100.</i>  <table style="width: 100%; text-align: center;"> <tr> <td>TTh</td> <td>Th</td> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td>2</td> <td>0</td> <td>1</td> <td>5</td> <td>3</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>+</td> <td>1</td> <td>9</td> <td>1</td> <td>7</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>3</td> <td>9</td> <td>3</td> <td>2</td> <td>8</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;"> </td> </tr> </table>	TTh	Th	H	T	O	●●		●	●●●●●●●●	●●●●	●	●●●●●●●●	●	●●●●●●●● ●●	●●●●●●●●	TTh	Th	H	T	O	2	0	1	5	3	<hr/>					+	1	9	1	7	<hr/>					3	9	3	2	8	<hr/>										Use column addition, including exchanges.  <table style="width: 100%; text-align: center;"> <tr> <td>TTh</td> <td>Th</td> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td>1</td> <td>9</td> <td>1</td> <td>7</td> <td>5</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>+</td> <td>1</td> <td>8</td> <td>4</td> <td>1</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>3</td> <td>7</td> <td>5</td> <td>9</td> <td>2</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;"> </td> </tr> </table>	TTh	Th	H	T	O	1	9	1	7	5	<hr/>					+	1	8	4	1	<hr/>					3	7	5	9	2	<hr/>									
TTh	Th	H	T	O																																																																																																								
●	●●●●●	●●●●● ●●	●●●●	●●●●●																																																																																																								
TTh	Th	H	T	O																																																																																																								
●●		●	●●●●●●●●	●●●●																																																																																																								
●	●●●●●●●●	●	●●●●●●●● ●●	●●●●●●●●																																																																																																								
TTh	Th	H	T	O																																																																																																								
2	0	1	5	3																																																																																																								
<hr/>																																																																																																												
+	1	9	1	7																																																																																																								
<hr/>																																																																																																												
3	9	3	2	8																																																																																																								
<hr/>																																																																																																												
TTh	Th	H	T	O																																																																																																								
1	9	1	7	5																																																																																																								
<hr/>																																																																																																												
+	1	8	4	1																																																																																																								
<hr/>																																																																																																												
3	7	5	9	2																																																																																																								
<hr/>																																																																																																												
<b>Adding decimals using column addition</b>	Use place value equipment to represent additions.  <i>Show <math>0.23 + 0.45</math> using place value counters.</i>	Use place value equipment on a place value grid to represent additions.  Represent exchange where necessary.  <table border="1" style="width: 100%; text-align: center;"> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> <tr> <td></td> <td>•</td> <td>●●●●●●</td> <td>●●</td> </tr> <tr> <td></td> <td>•</td> <td>●●●●●●</td> <td>●●</td> </tr> <tr> <td></td> <td>•</td> <td>●●●●●●</td> <td>●●</td> </tr> </table> <table style="width: 100%; text-align: center;"> <tr> <td>O</td> <td>•</td> <td>Tth</td> <td>Hth</td> </tr> <tr> <td>0</td> <td>•</td> <td>2</td> <td>3</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td>+</td> <td>•</td> <td>4</td> <td>5</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td>1</td> <td>•</td> <td>2</td> <td>5</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td></td> <td></td> <td></td> <td style="text-align: center;"> </td> </tr> </table>	O	•	Tth	Hth		•	●●●●●●	●●		•	●●●●●●	●●		•	●●●●●●	●●	O	•	Tth	Hth	0	•	2	3	<hr/>				+	•	4	5	<hr/>				1	•	2	5	<hr/>								Add using a column method, ensuring that children understand the link with place value.  <table style="width: 100%; text-align: center;"> <tr> <td>O</td> <td>•</td> <td>Tth</td> <td>Hth</td> </tr> <tr> <td>0</td> <td>•</td> <td>2</td> <td>3</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td>+</td> <td>•</td> <td>4</td> <td>5</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td>0</td> <td>•</td> <td>6</td> <td>8</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> </table> Include exchange where required, alongside an understanding of place value.	O	•	Tth	Hth	0	•	2	3	<hr/>				+	•	4	5	<hr/>				0	•	6	8	<hr/>																																
O	•	Tth	Hth																																																																																																									
	•	●●●●●●	●●																																																																																																									
	•	●●●●●●	●●																																																																																																									
	•	●●●●●●	●●																																																																																																									
O	•	Tth	Hth																																																																																																									
0	•	2	3																																																																																																									
<hr/>																																																																																																												
+	•	4	5																																																																																																									
<hr/>																																																																																																												
1	•	2	5																																																																																																									
<hr/>																																																																																																												
O	•	Tth	Hth																																																																																																									
0	•	2	3																																																																																																									
<hr/>																																																																																																												
+	•	4	5																																																																																																									
<hr/>																																																																																																												
0	•	6	8																																																																																																									
<hr/>																																																																																																												


		<p>Include examples where the numbers of decimal places are different.</p> <table border="1" style="display: inline-table; margin-right: 10px;"> <thead> <tr> <th>O</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>● ● ● ● ● ● ● ●</td> <td></td> <td></td> </tr> <tr> <td>●</td> <td>● ●</td> <td>● ● ● ● ● ● ● ●</td> </tr> </tbody> </table> $\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 5 \cdot 0 \ 0 \\ + 1 \cdot 2 \ 5 \\ \hline 6 \cdot 2 \ 5 \end{array}$	O	Tth	Hth	● ● ● ● ● ● ● ●			●	● ●	● ● ● ● ● ● ● ●	$\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 0 \cdot 9 \ 2 \\ + 0 \cdot 3 \ 3 \\ \hline 1 \cdot 2 \ 5 \end{array}$ <p>Include additions where the numbers of decimal places are different.</p> $.4 + 0.65 = ?$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 3 \cdot 4 \ 0 \\ + 0 \cdot 6 \ 5 \\ \hline \end{array}$																
O	Tth	Hth																										
● ● ● ● ● ● ● ●																												
●	● ●	● ● ● ● ● ● ● ●																										
<p><b>Year 5 Subtraction</b></p>																												
<p><b>Column subtraction with whole numbers</b></p>	<p>Use place value equipment to understand where exchanges are required.</p> $2,250 - 1,070$ 	<p>Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required.</p> $15,735 - 2,582 = 13,153$	<p>Use column subtraction methods with exchange where required.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td><del>5</del></td> <td><del>12</del></td> <td>10</td> <td>9</td> <td>7</td> </tr> <tr> <td>- 1</td> <td>8</td> <td>5</td> <td>3</td> <td>4</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>4</td> <td>3</td> <td>5</td> <td>6</td> <td>3</td> </tr> </tbody> </table> $2,097 - 18,534 = 43,563$	TTh	Th	H	T	O	<del>5</del>	<del>12</del>	10	9	7	- 1	8	5	3	4	<hr/>					4	3	5	6	3
TTh	Th	H	T	O																								
<del>5</del>	<del>12</del>	10	9	7																								
- 1	8	5	3	4																								
<hr/>																												
4	3	5	6	3																								

		<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{TTh Th H T O} \\ 1\ 5\ 7\ 3\ 5 \\ - 2\ 5\ 8\ 2 \\ \hline 3 \end{array}$ <p>Now subtract the 10s. Exchange 1 hundred for 10 tens.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{TTh Th H T O} \\ 1\ 5\ 7\ 13\ 5 \\ - 2\ 5\ 8\ 2 \\ \hline 5\ 3 \end{array}$ <p>Subtract the 100s, 1,000s and 10,000s.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{TTh Th H T O} \\ 1\ 5\ 7\ 13\ 5 \\ - 2\ 5\ 8\ 2 \\ \hline 1\ 3\ 1\ 5\ 3 \end{array}$	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●	
TTh	Th	H	T	O																													
●	●●●●●	●●●●●	●●●●●	●●●●●																													
TTh	Th	H	T	O																													
●	●●●●●	●●●●●	●●●●●	●●●●●																													
TTh	Th	H	T	O																													
●	●●●●●	●●●●●	●●●●●	●●●●●																													
<p><b>Subtracting decimals</b></p>	<p>Explore complements to a whole number by working in the context of length.</p> <div style="border: 1px dashed black; padding: 5px; width: fit-content; margin: 10px 0;"> <span style="background-color: #90EE90; padding: 2px 10px;">0.49 m</span> </div> <p>1 m - <input style="width: 30px;" type="text"/> m = <input style="width: 30px;" type="text"/> m</p> <p><math>- 0.49 = ?</math></p>	<p>Use a place value grid to represent the stages of column subtraction, including exchanges where required.</p> <p><math>74 - 2.25 = ?</math></p>	<p>Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places.</p> <p><math>921 - 3.75 = ?</math></p> <table style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>O</th> <th>Tth</th> <th>Hth</th> <th>Thth</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>9</td> <td>2</td> <td>1</td> </tr> <tr> <td>-</td> <td>3</td> <td>7</td> <td>5</td> </tr> <tr> <td colspan="4" style="text-align: center;">0</td> </tr> <tr> <td colspan="4" style="text-align: center;">.</td> </tr> <tr> <td colspan="4" style="text-align: center;">_____</td> </tr> </tbody> </table>	O	Tth	Hth	Thth	3	9	2	1	-	3	7	5	0				.				_____									
O	Tth	Hth	Thth																														
3	9	2	1																														
-	3	7	5																														
0																																	
.																																	
_____																																	

		<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>● ● ● ● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ● ● ●</td> </tr> </tbody> </table> <p>Exchange 1 tenth for 10 hundredths.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>● ● ● ● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ● ● ●</td> </tr> </tbody> </table> <p>Now subtract the 5 hundredths.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>● ● ● ● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ● ● ●</td> </tr> </tbody> </table> <p>Now subtract the 2 tenths, then the 2 ones.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>● ● ● ● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ● ● ●</td> </tr> </tbody> </table>	O	•	Tth	Hth	● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	O	•	Tth	Hth	● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	O	•	Tth	Hth	● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	O	•	Tth	Hth	● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	$\begin{array}{r} \text{O} \cdot \text{Tth} \text{Hth} \\ 5 \cdot 7 \ 4 \\ - 2 \cdot 2 \ 5 \\ \hline \end{array}$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{Hth} \\ 5 \cdot \overset{6}{7} \ 4 \\ - 2 \cdot 2 \ 5 \\ \hline \end{array}$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{Hth} \\ 5 \cdot \overset{6}{7} \ 4 \\ - 2 \cdot 2 \ 5 \\ \hline \cdot \ 9 \end{array}$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{Hth} \\ 5 \cdot \overset{6}{7} \ 4 \\ - 2 \cdot 2 \ 5 \\ \hline 3 \cdot 4 \ 9 \end{array}$
O	•	Tth	Hth																																
● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●																																
O	•	Tth	Hth																																
● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●																																
O	•	Tth	Hth																																
● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●																																
O	•	Tth	Hth																																
● ● ● ● ● ● ● ●	•	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●																																
<b>Year 5 Multiplication</b>																																			
<b>Multiplying up to 4-digit numbers by a single digit</b>	<p>Explore how to use partitioning to multiply efficiently.</p> <p><math>8 \times 17 = ?</math></p>	<p>Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s.</p> <p><math>163 \times 5 = ?</math></p>	<p>Use a column multiplication, including any required exchanges.</p> $\begin{array}{r} 1 \ 3 \ 6 \\ \times \quad 6 \\ \hline 8 \ 1 \ 6 \\ \hline 2 \ 3 \end{array}$																																



$$8 \times 10 = 80$$



$$8 \times 7 = 56$$

$$80 + 56 = 136$$

$$\text{So, } 8 \times 17 = 136$$

	H	T	O
100		10 10 10 10 10 10	1 1 1
100		10 10 10 10 10 10	1 1 1
100		10 10 10 10 10 10	1 1 1
100		10 10 10 10 10 10	1 1 1
100		10 10 10 10 10 10	1 1 1

### Multiplying 2-digit numbers by 2-digit numbers

Partition one number into 10s and 1s, then add the parts.

$$23 \times 15 = ?$$



$$10 \times 15 = 150$$



$$10 \times 15 = 150$$



$$3 \times 15 = 45$$

There are 345 bottles of milk in total.

H	T	O
1	5	0
1	5	0
+	4	5
3	4	5

$$23 \times 15 = 345$$

See above to consolidate concept of multiplication with place value counters if needed.





Use column multiplication, ensuring understanding of place value at each stage.

$$\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \end{array} \quad 34 \times 7$$

$$\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \\ \hline 680 \end{array} \quad \begin{array}{l} 34 \times 7 \\ 34 \times 20 \end{array}$$



			$\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \\ 680 \\ \hline 918 \end{array}$ <p> <math>34 \times 7</math>  <math>34 \times 20</math>  <math>34 \times 27</math> </p>
<b>Multiplying up to 4-digits by 2-digits</b>		See above to consolidate concept of multiplication with place value counters if needed.	<p>Use column multiplication, ensuring understanding of place value at each stage.</p> $\begin{array}{r} 143 \\ \times 12 \\ \hline 286 \\ 1430 \\ \hline 1716 \end{array}$ <p> <math>143 \times 2</math>  <math>143 \times 10</math>  <math>143 \times 12</math> </p> <p>Progress to include examples that require multiple exchanges as understanding, confidence and fluency build.</p> <p><math>1,274 \times 32 = ?</math>  <i>First multiply 1,274 by 2.</i></p> $\begin{array}{r} 1274 \\ \times 32 \\ \hline 2548 \\ \hline \end{array}$ <p><math>1,274 \times 2</math></p> <hr/> <p><i>Then multiply 1,274 by 30.</i></p>



			$\begin{array}{r} 1\ 2\ 7\ 4 \\ \times \quad 3\ 2 \\ \hline 2\ 5\ 4\ 8 \quad 1,274 \times 2 \\ 3\ 8\ 2\ 2\ 0 \quad 1,274 \times 30 \\ \hline \end{array}$ <p>Finally, find the total.</p> $\begin{array}{r} 1\ 2\ 7\ 4 \\ \times \quad 3\ 2 \\ \hline 2\ 5\ 4\ 8 \quad 1,274 \times 2 \\ 3\ 8\ 2\ 2\ 0 \quad 1,274 \times 30 \\ \hline 4\ 0\ 7\ 6\ 8 \quad 1,274 \times 32 \\ \hline \end{array}$ $1,274 \times 32 = 40,768$
<b>Year 5 Division</b>			
<b>Dividing up to four digits by a single digit using short division</b>	<p>Explore grouping using place value equipment.</p> <p><math>268 \div 2 = ?</math></p> <p><i>There is 1 group of 2 hundreds.</i> <i>There are 3 groups of 2 tens.</i> <i>There are 4 groups of 2 ones.</i></p> <p><math>264 \div 2 = 134</math></p>	<p>Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting.</p>	<p>Use short division for up to 4-digit numbers divided by a single digit.</p> $7 \overline{) 3892}$ <p><math>3,892 \div 7 = 556</math></p> <p>Use multiplication to check.</p> <p><math>556 \times 7 = ?</math></p> <p><math>6 \times 7 = 42</math> <math>50 \times 7 = 350</math> <math>500 \times 7 = 3500</math></p>


		<p>Lay out the problem as a short division.</p> <p><i>There is 1 group of 4 in 4 tens.</i> <i>There are 2 groups of 4 in 8 ones.</i></p> <p>Work with divisions that require exchange.</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <math display="block">\begin{array}{r} 4 \overline{) 92} \end{array}</math> </div> <div style="margin-right: 10px;">  </div> <div> <p>First, lay out the problem.</p> </div> </div> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <math display="block">\begin{array}{r} 2 \\ 4 \overline{) 92} \end{array}</math> </div> <div style="margin-right: 10px;">  </div> <div> <p>How many groups of 4 go into 9 tens? 2 groups of 4 tens with 1 ten left over.</p> </div> </div> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <math display="block">\begin{array}{r} 2 \\ 4 \overline{) 92} \end{array}</math> </div> <div style="margin-right: 10px;">  </div> <div> <p>Exchange the 1 ten left over for 10 ones. We now have 12 ones.</p> </div> </div> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <math display="block">\begin{array}{r} 2 \ 3 \\ 4 \overline{) 92} \end{array}</math> </div> <div style="margin-right: 10px;">  </div> <div> <p>How many groups of 4 go into 12 ones? 3 groups of 4 ones.</p> </div> </div>	$3,500 + 350 + 42 = 3,892$
--	--	--	----------------------------

### Year 6

	Concrete	Pictorial	Abstract
<b>Year 6 Addition</b>			
	Please see year 5 for any consolidation needed		
<b>Year 6 Subtraction</b>			
	Please see year 5 for any consolidation needed		

Year 6 Multiplication											
<b>Multiplying up to a 4-digit number by a single digit number</b>	<p>Use equipment to explore multiplications.</p> <table border="1" data-bbox="353 443 853 587"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>4 groups of 2,345</p> <p>This is a multiplication:</p> $4 \times 2,345$ $2,345 \times 4$	Th	H	T	O					<p>Use place value equipment to compare methods.</p> <p><b>Method 1</b></p>  $\begin{array}{r} 3225 \\ 3225 \\ 3225 \\ 3225 \\ \hline 12900 \\ \phantom{1} \phantom{1} \phantom{2} \phantom{0} \phantom{0} \\ \phantom{1} \phantom{1} \phantom{2} \phantom{0} \phantom{0} \end{array}$ <p><b>Method 2</b></p>  $4 \times 3,000 \quad 4 \times 200 \quad 4 \times 20 \quad 4 \times 5$ $12,000 + 800 + 80 + 20 = 12,900$	<p>Understand short multiplication.</p> <p>Compare and select appropriate methods for specific multiplications.</p> <p><b>Method 4</b></p> $\begin{array}{r} 3225 \\ \times \phantom{00} 4 \\ \hline 12900 \\ \phantom{1} \phantom{1} \phantom{2} \phantom{0} \phantom{0} \end{array}$
Th	H	T	O								
<b>Multiplying up to a 4-digit number by a 2-digit number</b>		<p>See above to consolidate concept of multiplication with place value counters if needed.</p>	<p>Use compact column multiplication with understanding of place value at all stages.</p> $\begin{array}{r} 1235 \\ \times \phantom{00} 21 \\ \hline 1235 \\ 24700 \\ \hline 25935 \end{array}$ <p> <math>1 \times 1,235</math>  <math>20 \times 1,235</math>  <math>21 \times 1,235</math> </p>								
<b>Year 6 Division</b>											

<p><b>Dividing by a single digit</b></p>	<p>Use equipment to make groups from a total.</p>  <p><i>There are 78 in total. There are 6 groups of 13. There are 13 groups of 6.</i></p>	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●</td> <td>●●</td> </tr> </tbody> </table> <p>How many groups of 6 are in 100?  <math>6 \overline{) 100} \begin{matrix} 0 \\ 2 \end{matrix}</math></p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●●</td> <td>●●</td> </tr> </tbody> </table> <p>How many groups of 6 are in 13 tens?  <math>6 \overline{) 130} \begin{matrix} 0 \\ 2 \end{matrix}</math></p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td>●●●●●●</td> <td>●●●●●●</td> </tr> </tbody> </table> <p>How many groups of 6 are in 12 ones?  <math>6 \overline{) 12} \begin{matrix} 0 \\ 2 \\ 2 \end{matrix}</math></p>	H	T	O	●	●●●●	●●	H	T	O	●	●●●●●●	●●	H	T	O		●●●●●●	●●●●●●	<p>Use short division to divide by a single digit.</p> $\begin{array}{r} 0 \\ 6 \overline{) 132} \\ \underline{0} \phantom{00} \\ 13 \phantom{0} \\ \underline{12} \phantom{0} \\ 12 \\ \underline{12} \\ 0 \end{array}$				
H	T	O																							
●	●●●●	●●																							
H	T	O																							
●	●●●●●●	●●																							
H	T	O																							
	●●●●●●	●●●●●●																							
<p><b>Dividing by a 2-digit number using long division</b></p>	<p>Use equipment to build numbers from groups.</p>  <p><i>182 divided into groups of 13. There are 14 groups.</i></p>	<p>See above to consolidate concept of division with place value counters if needed.</p>	<p>Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process.</p> <p><math>377 \div 13 = ?</math></p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>0</td><td>13</td><td>26</td><td>39</td><td>52</td><td>65</td><td>78</td><td>91</td><td>104</td><td>117</td><td>130</td> </tr> <tr> <td><math>0 \times 13</math></td><td><math>1 \times 13</math></td><td><math>2 \times 13</math></td><td><math>3 \times 13</math></td><td><math>4 \times 13</math></td><td><math>5 \times 13</math></td><td><math>6 \times 13</math></td><td><math>7 \times 13</math></td><td><math>8 \times 13</math></td><td><math>9 \times 13</math></td><td><math>10 \times 13</math></td> </tr> </table>	0	13	26	39	52	65	78	91	104	117	130	$0 \times 13$	$1 \times 13$	$2 \times 13$	$3 \times 13$	$4 \times 13$	$5 \times 13$	$6 \times 13$	$7 \times 13$	$8 \times 13$	$9 \times 13$	$10 \times 13$
0	13	26	39	52	65	78	91	104	117	130															
$0 \times 13$	$1 \times 13$	$2 \times 13$	$3 \times 13$	$4 \times 13$	$5 \times 13$	$6 \times 13$	$7 \times 13$	$8 \times 13$	$9 \times 13$	$10 \times 13$															

			$  \begin{array}{r}  13 \overline{) 377} \\  - 130 \quad 10 \\  \hline  247 \\  - 130 \quad 10 \\  \hline  117 \\  - 117 \quad 9 \\  \hline  0 \quad 29  \end{array}  $ <p><math>377 \div 13 = 29</math></p> <p>Divisions with a remainder explored in problem-solving contexts.</p>								
<p><b>Dividing decimals</b></p>	<p>Use place value equipment to explore division of decimals.</p>  <p><i>8 tenths divided into 4 groups. 2 tenths in each group.</i></p>	<p>Use a bar model to represent divisions.</p> <table border="1" data-bbox="949 849 1312 938"> <tr> <td colspan="4">0.8</td> </tr> <tr> <td>?</td> <td>?</td> <td>?</td> <td>?</td> </tr> </table> <p><math>4 \times 2 = 8</math>                      <math>8 \div 4 = 2</math></p> <p>So, <math>4 \times 0.2 = 0.8</math>              <math>0.8 \div 4 = 0.2</math></p>	0.8				?	?	?	?	<p>Use short division to divide decimals with up to 2 decimal places.</p> $  \begin{array}{r}  8 \overline{) 4.24} \\  0 \cdot \\  8 \overline{) 4.24} \\  0 \cdot 5 \\  8 \overline{) 4.24} \\  0 \cdot 53 \\  8 \overline{) 4.24}  \end{array}  $
0.8											
?	?	?	?								